Store at -20C

Pan-Calcineurin A Antibody



Orders: 877-616-CELL (2355)

orders@cellsignal.com

877-678-TECH (8324) Support:

Web: info@cellsignal.com

cellsignal.com

3 Trask Lane | Danvers | Massachusetts | 01923 | USA

Applications: WB, IP, IF-IC, FC-FP	Reactivity: H M R Mk	Sensitivity: Endogenous	MW (kDa): 59	Source: Rabbit	UniProt ID: #P16298, #Q08209, #P48454	Entrez-Gene ld: 5532, 5530, 5533
Product Usage Information	Aį	oplication		Dilution		
	W	Western Blotting				1:1000
	Im	Immunoprecipitation				1:50
	Im	Immunofluorescence (Immunocytochemistry)				1:50
	Flo	Flow Cytometry (Fixed/Permeabilized)				1:25
Storage		Supplied in 10 mM sodium HEPES (pH 7.5), 150 mM NaCl, 100 μ g/ml BSA and 50% glycerol. Store at $-$ 20°C. Do not aliquot the antibody.				
Specificity / Sens	and	This antibody detects endogenous levels of Calcineurin A (alpha isoform). It may als and gamma isoforms of Calcineurin A. The antibody does not cross-react with prote 2A.				

Species predicted to react based on 100% sequence homology: Chicken, Xenopus, Bovine, Pig

Source / Purification

Polyclonal antibodies are produced by immunizing animals with a synthetic peptide corresponding to the carboxy-terminus of human Calcineurin A (alpha isoform). Antibodies are purified by protein A and peptide affinity chromatography.

Background

Calcineurin, also known as protein phosphatase 2B (PP2B), is a calmodulin-dependent, calcium-activated, serine/threonine protein phosphatase composed of a catalytic subunit (calcineurin A) and a tightly bound regulatory subunit (calcineurin B) (1). Calcineurin A is highly homologous to protein phosphatases 1 and 2A. Calcineurin B, like calmodulin, contains four EF-hand, calcium-binding motifs.

Calcineurin signaling has been implicated in a broad spectrum of cellular processes including cell-cycle regulation, stress response and apoptosis and is required for proper cardiovascular and skeletal muscle development (2,3). Calcineurin-mediated dephosphorylation of the nuclear factor of activated T cells (NFAT) transcription factor is essential for NFAT activation and nuclear translocation and early gene expression in T lymphocytes (2,3). Calcineurin is the target of the immunosuppressive drugs Cyclosporin A and FK506, both of which block the activation of quiescent T cells after T cell receptor engagement (2,3). Cyclosporin A and FK506 bind to the immunophilins, cyclophilin and FKBP respectively and the

immunophilin-drug complex binds to calcineurin and blocks substrate binding.

Background References

- 1. Rusnak, F. and Mertz, P. (2000) Physiol. Rev. 80, 1483-521.
- 2. Kahl, C.R. and Means, A.R. (2003) Endocr. Rev. 24, 719-36.
- 3. Schulz, R.A. and Yutzey, K.E. (2004) Dev. Biol. 266, 1-16.

Species Reactivity

Species reactivity is determined by testing in at least one approved application (e.g., western blot).

Western Blot Buffer

IMPORTANT: For western blots, incubate membrane with diluted primary antibody in 5% w/v BSA, 1X TBS, 0.1% Tween® 20 at 4°C with gentle shaking, overnight.

Applications Key

WB: Western Blotting IP: Immunoprecipitation IF-IC: Immunofluorescence (Immunocytochemistry)

FC-FP: Flow Cytometry (Fixed/Permeabilized)

Cross-Reactivity Key

Pan-Calcineurin A Antibody (#2614) Datasheet Without Images Cell Signaling Technology

H: human M: mouse R: rat Hm: hamster Mk: monkey Vir: virus Mi: mink C: chicken Dm: D. melanogaster X: Xenopus Z: zebrafish B: bovine Dq: dog Pq: pig Sc: S. cerevisiae Ce: C. elegans Hr: horse

GP: Guinea Pig Rab: rabbit All: all species expected

Trademarks and Patents

Limited Uses

Cell Signaling Technology is a trademark of Cell Signaling Technology, Inc. Alexa Fluor is a registered trademark of Life Technologies Corporation.

All other trademarks are the property of their respective owners. Visit cellsignal.com/trademarks for more information.

Except as otherwise expressly agreed in a writing signed by a legally authorized representative of CST, the following terms apply to Products provided by CST, its affiliates or its distributors. Any Customer's terms and conditions that are in addition to, or different from, those contained herein, unless separately accepted in writing by a legally authorized representative of CST, are rejected and are of no force or effect.

Products are labeled with For Research Use Only or a similar labeling statement and have not been approved, cleared, or licensed by the FDA or other regulatory foreign or domestic entity, for any purpose. Customer shall not use any Product for any diagnostic or therapeutic purpose, or otherwise in any manner that conflicts with its labeling statement. Products sold or licensed by CST are provided for Customer as the end-user and solely for research and development uses. Any use of Product for diagnostic, prophylactic or therapeutic purposes, or any purchase of Product for resale (alone or as a component) or other commercial purpose, requires a separate license from CST. Customer shall (a) not sell, license, loan, donate or otherwise transfer or make available any Product to any third party, whether alone or in combination with other materials, or use the Products to manufacture any commercial products, (b) not copy, modify, reverse engineer, decompile, disassemble or otherwise attempt to discover the underlying structure or technology of the Products, or use the Products for the purpose of developing any products or services that would compete with CST products or services, (c) not alter or remove from the Products any trademarks, trade names, logos, patent or copyright notices or markings, (d) use the Products solely in accordance with CST Product Terms of Sale and any applicable documentation, and (e) comply with any license, terms of service or similar agreement with respect to any third party products or services used by Customer in connection with the Products.