# Phospho-Stat4 (Tyr693) (D2E4) Rabbit mAb



Orders: 877-616-CELL (2355)

orders@cellsignal.com

Support: 877-678-TECH (8324)

Web: info@cellsignal.com

cellsignal.com

3 Trask Lane | Danvers | Massachusetts | 01923 | USA

### For Research Use Only. Not for Use in Diagnostic Procedures.

Applications:	Reactivity:	Sensitivity:	MW (kDa):	Source/Isotype:	UniProt ID:	Entrez-Gene Id:
WB, IP, IF-IC, FC-FP,	Н	Endogenous	81	Rabbit IgG	#Q14765	6775
ChIP						

# Product Usage Information

For optimal ChIP results, use 10  $\mu$ I of antibody and 10  $\mu$ I of chromatin (approximately 4 x 10<sup>6</sup> cells) per IP. This antibody has been validated using SimpleChIP<sup>®</sup> Enzymatic Chromatin IP Kits.

Application	Dilution
Western Blotting	1:1000
Immunoprecipitation	1:100

Immunofluorescence (Immunocytochemistry) 1:1600 - 1:3200

Flow Cytometry (Fixed/Permeabilized) 1:1600
Chromatin IP 1:50

Storage Supplied in 10 mM sodium HEPES (pH 7.5), 150 mM NaCl, 100 μg/ml BSA, 50% glycerol and less than

0.02% sodium azide. Store at  $-20^{\circ}$ C. Do not aliquot the antibody.

For a carrier free (BSA and azide free) version of this product see product #42353.

Specificity / Sensitivity

Phospho-Stat4 (Tyr693) (D2E4) Rabbit mAb recognizes endogenous levels of Stat4 protein only when phosphorulated at Tyr693

 $phosphory lated\ at\ Tyr 693.$ 

Species predicted to react based on 100% sequence homology:

Mouse, Rat, Monkey, Pig

#### Source / Purification

Monoclonal antibody is produced by immunizing animals with a synthetic peptide corresponding to residues surrounding Tyr693 of human Stat4 protein.

## **Background**

The Jak-Stat signaling pathway is utilized by a large number of cytokines, growth factors, and hormones (1). Receptor-mediated tyrosine phosphorylation of Jak family members triggers phosphorylation of Stat proteins, resulting in their nuclear translocation, binding to specific DNA elements, and subsequent activation of transcription. The remarkable range and specificity of responses regulated by the Stats is determined, in part, by the tissue-specific expression of different cytokine receptors, Jaks, and Stats, as well as by the combinatorial coupling of various Stat members to different receptors (2). Stat4 is predominantly expressed in the spleen, thymus, and testis and has been most extensively investigated as the mediator of IL-12 responses (3-8). Activation of Stat4 is associated with phosphorylation at Tyr693 (9). Stat4 is activated in response to IL-2 in natural killer (NK) cells, but not in T cells (10).

#### **Background References**

- 1. Darnell, J.E. et al. (1994) Science 264, 1415-1421.
- 2. Leonard, W.J. and O'Shea, J.J. (1998) Annu. Rev. Immunol. 16, 293-322.
- 3. Zhong, Z. et al. (1994) Proc. Natl. Acad. Sci. USA 91, 4806-4810.
- 4. Yamamoto, K. et al. (1994) Mol. Cell Biol. 14, 4342-4349.
- 5. Jacobson, N.G. et al. (1995) J. Exp. Med. 181, 1755-1762.
- 6. Bacon, C.M. et al. (1995) Proc. Natl. Acad. Sci. USA 92, 7307-7311.
- 7. Thierfelder, W.E. et al. (1996) Nature 382, 171-174.
- 8. Kaplan, M.H. et al. (1996) Nature 382, 174-177.
- 9. Visconti, R. et al. (2000) Blood 96, 1844-52.
- 10. Wang, K.S. et al. (1999) J Immunol 162, 299-304.

3/23/24, 11:06 AM Phospho-Stat4 (Tyr693) (D2E4) Rabbit mAb (#4134) Datasheet Without Images Cell Signaling Technology

**Species Reactivity** 

Species reactivity is determined by testing in at least one approved application (e.g., western blot).

**Western Blot Buffer** 

IMPORTANT: For western blots, incubate membrane with diluted primary antibody in 5% w/v BSA, 1X TBS, 0.1% Tween® 20 at 4°C with gentle shaking, overnight.

**Applications Key** 

WB: Western Blotting IP: Immunoprecipitation IF-IC: Immunofluorescence (Immunocytochemistry) FC-FP: Flow Cytometry (Fixed/Permeabilized) ChIP: Chromatin IP

**Cross-Reactivity Key** 

H: human M: mouse R: rat Hm: hamster Mk: monkey Vir: virus Mi: mink C: chicken Dm: D. melanogaster X: Xenopus Z: zebrafish B: bovine Dg: dog Pg: pig Sc: S. cerevisiae Ce: C. elegans Hr: horse GP: Guinea Pig Rab: rabbit All: all species expected

Trademarks and Patents

Cell Signaling Technology is a trademark of Cell Signaling Technology, Inc. All other trademarks are the property of their respective owners. Visit cellsignal.com/trademarks for more information.

**Limited Uses** 

Except as otherwise expressly agreed in a writing signed by a legally authorized representative of CST, the following terms apply to Products provided by CST, its affiliates or its distributors. Any Customer's terms and conditions that are in addition to, or different from, those contained herein, unless separately accepted in writing by a legally authorized representative of CST, are rejected and are of no force or effect.

Products are labeled with For Research Use Only or a similar labeling statement and have not been approved, cleared, or licensed by the FDA or other regulatory foreign or domestic entity, for any purpose. Customer shall not use any Product for any diagnostic or therapeutic purpose, or otherwise in any manner that conflicts with its labeling statement. Products sold or licensed by CST are provided for Customer as the end-user and solely for research and development uses. Any use of Product for diagnostic, prophylactic or therapeutic purposes, or any purchase of Product for resale (alone or as a component) or other commercial purpose, requires a separate license from CST. Customer shall (a) not sell, license, loan, donate or otherwise transfer or make available any Product to any third party, whether alone or in combination with other materials, or use the Products to manufacture any commercial products, (b) not copy, modify, reverse engineer, decompile, disassemble or otherwise attempt to discover the underlying structure or technology of the Products, or use the Products for the purpose of developing any products or services that would compete with CST products or services, (c) not alter or remove from the Products any trademarks, trade names, logos, patent or copyright notices or markings, (d) use the Products solely in accordance with CST Product Terms of Sale and any applicable documentation, and (e) comply with any license, terms of service or similar agreement with respect to any third party products or services used by Customer in connection with the Products.