#5485 Store at -200

# Phospho-Afadin (Ser1718) Antibody



Orders: 877-616-CELL (2355)

orders@cellsignal.com

Support: 877-678-TECH (8324)

Web: info@cellsignal.com

cellsignal.com

3 Trask Lane | Danvers | Massachusetts | 01923 | USA

For Research Use Only. Not for Use in Diagnostic Procedures.

Applications:	Reactivity:	Sensitivity:	MW (kDa):	Source:	UniProt ID:	Entrez-Gene Id	
WB	Н	Endogenous	205	Rabbit	#P55196	4301	
Product Usage Information	Ар	Application			Dilution		
	We	Western Blotting			1:1000		
Storage		plied in 10 mM sodi C. Do not aliquot the	(1	, 150 mM NaCl, 100 $\mu g/\text{ml}$ BSA and 50% glycerol. Store at $-$			
Specificity / Sensitivity Phospho-Afadin (Ser1718) Antibody de phosphorylated at serine 1718.			,	ects endogenous levels of l-afadin protein only when			
Species predicte react based on 1 sequence homol	00%	ıse, Rat, Monkey, D	og				

Source / Purification

Polyclonal antibodies are produced by immunizing animals with a synthetic phosphopeptide corresponding to residues surrounding Ser1718 of human afadin. Antibodies are purified using protein A and peptide affinity chromatography.

### **Background**

In multicellular organisms, intercellular junctions play essential roles in tissue integrity and maintenance of cell polarity. Tight junctions (TJs) form a continuous barrier to fluids across the epithelium and endothelium (reviewed in 1). Adherens junctions (AJs) are dynamic structures that form cell-cell contacts linking cells into a continuous sheet (reviewed in 2). The actin filament-binding protein, Afadin, binds to nectin forming a connection to the actin cytoskeleton (3). AJs are formed when nectin assembles cadherin at the cell-cell adhesion site and these junctions are then involved in the formation and maintenance of TJs (4,5). Afadin has two splice variants: I-afadin, which is ubiquitously expressed, and s-afadin, which is expressed predominantly in neural tissue. s-Afadin is a shorter form lacking one of the three proline-rich regions found in I-afadin, as well as the carboxyl-terminal F-actin binding region (6). Human s-afadin is identical to AF-6, the ALL-1 fusion partner involved in acute myeloid leukemias (7). Recent work has also shown that afadin is involved in controlling the directionality of cell movement when it is localized at the leading edge of moving cells (8,9).

Phospho-Afadin (Ser1718) Antibody is directed at a site that was identified at Cell Signaling Technology (CST) using PhosphoScan<sup>®</sup>, CST's LC-MS/MS platform for modification site discovery. Phosphorylation at Ser1718 was discovered using an Akt substrate antibody. Please visit PhosphoSitePlus<sup>®</sup>, CST's modification site knowledgebase, at www.phosphosite.org for more information.

# **Background References**

- 1. Shin, K. et al. (2006) Annu Rev Cell Dev Biol 22, 207-35.
- 2. Harris, T.J. and Tepass, U. (2010) Nat Rev Mol Cell Biol 11, 502-14.
- 3. Ikeda, W. et al. (1999) J Cell Biol 146, 1117-32.
- 4. Sato, T. et al. (2006) J Biol Chem 281, 5288-99.
- 5. Ooshio, T. et al. (2007) J Cell Sci 120, 2352-65.
- 6. Mandai, K. et al. (1997) *J Cell Biol* 139, 517-28.
- 7. Prasad, R. et al. (1993) Cancer Res 53, 5624-8.
- 8. Miyata, M. et al. (2009) J Cell Sci 122, 4319-29.
- 9. Miyata, M. et al. (2009) J Biol Chem 284, 24595-609.

#### **Species Reactivity**

Species reactivity is determined by testing in at least one approved application (e.g., western blot).

## Western Blot Buffer

IMPORTANT: For western blots, incubate membrane with diluted primary antibody in 5% w/v BSA, 1X TBS, 0.1% Tween® 20 at 4°C with gentle shaking, overnight.

1/1/24, 3:01 PM

Phospho-Afadin (Ser1718) Antibody (#5485) Datasheet Without Images Cell Signaling Technology

**Applications Key** 

**Cross-Reactivity Key** 

H: human M: mouse R: rat Hm: hamster Mk: monkey Vir: virus Mi: mink C: chicken Dm: D. melanogaster

X: Xenopus Z: zebrafish B: bovine Dg: dog Pg: pig Sc: S. cerevisiae Ce: C. elegans Hr: horse

GP: Guinea Pig Rab: rabbit All: all species expected

WB: Western Blotting

Trademarks and Patents

**Limited Uses** 

Cell Signaling Technology is a trademark of Cell Signaling Technology, Inc.
All other trademarks are the property of their respective owners. Visit cellsignal.com/trademarks for more information.

Except as otherwise expressly agreed in a writing signed by a legally authorized representative of CST, the following terms apply to Products provided by CST, its affiliates or its distributors. Any Customer's terms and conditions that are in addition to, or different from, those contained herein, unless separately accepted in writing by a legally authorized representative of CST, are rejected and are of no force or effect.

Products are labeled with For Research Use Only or a similar labeling statement and have not been approved, cleared, or licensed by the FDA or other regulatory foreign or domestic entity, for any purpose. Customer shall not use any Product for any diagnostic or therapeutic purpose, or otherwise in any manner that conflicts with its labeling statement. Products sold or licensed by CST are provided for Customer as the end-user and solely for research and development uses. Any use of Product for diagnostic, prophylactic or therapeutic purposes, or any purchase of Product for resale (alone or as a component) or other commercial purpose, requires a separate license from CST. Customer shall (a) not sell, license, loan, donate or otherwise transfer or make available any Product to any third party, whether alone or in combination with other materials, or use the Products to manufacture any commercial products, (b) not copy, modify, reverse engineer, decompile, disassemble or otherwise attempt to discover the underlying structure or technology of the Products, or use the Products for the purpose of developing any products or services that would compete with CST products or services, (c) not alter or remove from the Products any trademarks, trade names, logos, patent or copyright notices or markings, (d) use the Products solely in accordance with CST Product Terms of Sale and any applicable documentation, and (e) comply with any license, terms of service or similar agreement with respect to any third party products or services used by Customer in connection with the Products.