86 Store at -200

PPP2R4 (5G3) Mouse mAb



Orders: 87

877-616-CELL (2355) orders@cellsignal.com

Support:

877-678-TECH (8324)

Web:

info@cellsignal.com

cellsignal.com

3 Trask Lane | Danvers | Massachusetts | 01923 | USA

For Research Use Only. Not for Use in Diagnostic Procedures.

Applications: WB	Reactivity: H M Mk	Sensitivity: Endogenous	MW (kDa): 40	Source/Isotype: Mouse IgG2a	UniProt ID: #P58389	Entrez-Gene Id: 110854	
Product Usage Information	Ap	plication			Dilution		
	We	estern Blotting			1:1000		
Storage		Supplied in 10 mM sodium HEPES (pH 7.5), 150 mM NaCl, 100 μ g/ml BSA, 50% glycerol and less than 0.02% sodium azide. Store at -20 °C. Do not aliquot the antibody.					
Specificity / Sensiti		PPP2R4 (5G3) Mouse mAb recognizes endogenous levels of total PPP2R4 protein. This antibody does not cross-react with other PP2A proteins.					
Source / Purification		Monoclonal antibody is produced by immunizing animals with recombinant protein specific to the mouse PPP2R4 protein.					
Background	regu to h pep The Evic	Serine/threonine protein phosphatase 2A regulatory subunit 4 (PPP2R4) is one of the constituents of the regulatory subunit B' of PP2A (1). PPP2R4 is also known as the phosphatase activator (PTPA) and known to have the peptidyl prolyl isomerase (PPlase) activity (2-3). PPlases catalyze cis-trans isomerization of peptide bonds of proline residues in the polypeptide chain; this leads to the rapid folding of proteins (2). The ATPase activity of PPP2R4 is required for the phosphotyrosyl phosphatase activity of PP2A (2-4). Evidence suggests that PPP2R4 induces apoptosis independent of the canonical PP2A-mediated pathways (4).					
Background Refere	2. C 3. C	 Jessus, C. et al. (1989) Biochem J 260, 45-51. Cayla, X. et al. (1990) Biochemistry 29, 658-67. Chao, Y. et al. (2006) Mol Cell 23, 535-46. Azam, S. et al. (2007) Apoptosis 12, 1243-55. 					

Species Reactivity

Species reactivity is determined by testing in at least one approved application (e.g., western blot).

Western Blot Buffer

IMPORTANT: For western blots, incubate membrane with diluted primary antibody in 5% w/v BSA, 1X TBS, 0.1% Tween® 20 at 4°C with gentle shaking, overnight.

Applications Key

WB: Western Blotting

Cross-Reactivity Key

H: human M: mouse R: rat Hm: hamster Mk: monkey Vir: virus Mi: mink C: chicken Dm: D. melanogaster X: Xenopus Z: zebrafish B: bovine Dg: dog Pg: pig Sc: S. cerevisiae Ce: C. elegans Hr: horse

GP: Guinea Pig Rab: rabbit All: all species expected

Trademarks and Patents

Cell Signaling Technology is a trademark of Cell Signaling Technology, Inc.

All other trademarks are the property of their respective owners. Visit cellsignal.com/trademarks for more

information.

Limited Uses

Except as otherwise expressly agreed in a writing signed by a legally authorized representative of CST, the following terms apply to Products provided by CST, its affiliates or its distributors. Any Customer's terms and conditions that are in addition to, or different from, those contained herein, unless separately accepted in writing by a legally authorized representative of CST, are rejected and are of no force or effect.

Products are labeled with For Research Use Only or a similar labeling statement and have not been approved, cleared, or licensed by the FDA or other regulatory foreign or domestic entity, for any purpose. Customer shall not use any Product for any diagnostic or therapeutic purpose, or otherwise in any manner that conflicts with its labeling statement. Products sold or licensed by CST are provided for Customer as the end-user and solely for research and development uses. Any use of Product for diagnostic, prophylactic or therapeutic purposes, or any purchase of Product for resale (alone or as a component) or other commercial purpose, requires a separate license from CST. Customer shall (a) not sell, license, loan, donate or

PPP2R4 (5G3) Mouse mAb (#5686) Datasheet Without Images Cell Signaling Technology otherwise transfer or make available any Product to any third party, whether alone or in combination with other materials, or use the Products to manufacture any commercial products, (b) not copy, modify, reverse engineer, decompile, disassemble or otherwise attempt to discover the underlying structure or technology of the Products, or use the Products for the purpose of developing any products or services that would compete with CST products or services, (c) not alter or remove from the Products any trademarks, trade names, logos, patent or copyright notices or markings, (d) use the Products solely in accordance with CST Product Terms of Sale and any applicable documentation, and (e) comply with any license, terms of service or similar agreement with respect to any third party products or services used by Customer in connection

with the Products.