## Bassoon (D63B6) Rabbit mAb



Orders:

877-616-CELL (2355) orders@cellsignal.com

Support:

877-678-TECH (8324)

Web:

info@cellsignal.com

cellsignal.com

3 Trask Lane | Danvers | Massachusetts | 01923 | USA

For Research Use Only. Not for Use in Diagnostic Procedures.

Applications: WB, IF-F	Reactivity: M R	Sensitivity: Endogenous	<b>MW (kDa):</b> 420	Source/Isotype: Rabbit IgG	<b>UniProt ID:</b> #Q9UPA5	Entrez-Gene Id 8927	
Product Usage Information	Ap	plication		Dilution			
	We	estern Blotting			1:1000		
	Im	munofluorescence (	Frozen)	1:200 - 1:800			
Storage		Supplied in 10 mM sodium HEPES (pH 7.5), 150 mM NaCl, 100 $\mu$ g/ml BSA, 50% glycerol and less than 0.02% sodium azide. Store at –20°C. Do not aliquot the antibody.					
	For	For a carrier free (BSA and azide free) version of this product see product #69024.					
Specificity / Sensitivity		Bassoon (D63B6) Rabbit mAb recognizes endogenous levels of total Bassoon protein. Some background staining was observed in muscle tissue and the choroid plexus by confocal immunofluorescent analysis.					
Species predicted t react based on 100 <sup>o</sup> sequence homolog	%	nan					
Source / Purification  Monoclonal antibody is produced by immediate residues surrounding Gln1217 of human			nunizing animals with a synthetic peptide corresponding to bassoon protein.				
Background	ves the com syn pho	Bassoon (BSN), named such to underline its presumptive role in orchestrating events of the synaptic vesicle cycle (1), is a very large coiled-coil protein and is one of the core components of the cytomatrix at the active zones of both excitatory and inhibitory synapses (2). BSN is a scaffold protein that is a component of the synaptic ribbon, an electron-dense structure anchored at the active zone that tethers synaptic vesicles. Genetic disruption of BSN displaces the anchoring of ribbons to the active zones of photoreceptors and cochlear inner hair cells (3), and this displacement of the ribbons substantially impairs synaptic transmission, suggesting that, when present, BSN is important for the vesicle cycle (4).					
Background Refere	2. H 3. F	<ol> <li>Winter, C. et al. (1999) Genomics 57, 389-97.</li> <li>Hallermann, S. et al. (2010) Neuron 68, 710-23.</li> <li>Frank, T. et al. (2010) Neuron 68, 724-38.</li> <li>Joselevitch, C. and Zenisek, D. (2010) Neuron 68, 604-6.</li> </ol>					

**Species Reactivity** 

Species reactivity is determined by testing in at least one approved application (e.g., western blot).

**Western Blot Buffer** 

**Applications Key** 

IMPORTANT: For western blots, incubate membrane with diluted primary antibody in 5% w/v BSA, 1X TBS, 0.1% Tween® 20 at 4°C with gentle shaking, overnight.

WB: Western Blotting IF-F: Immunofluorescence (Frozen)

**Cross-Reactivity Key** 

H: human M: mouse R: rat Hm: hamster Mk: monkey Vir: virus Mi: mink C: chicken Dm: D. melanogaster

X: Xenopus Z: zebrafish B: bovine Dg: dog Pg: pig Sc: S. cerevisiae Ce: C. elegans Hr: horse

GP: Guinea Pig Rab: rabbit All: all species expected

Trademarks and Patents

Cell Signaling Technology is a trademark of Cell Signaling Technology, Inc.

All other trademarks are the property of their respective owners. Visit cellsignal.com/trademarks for more

information.

**Limited Uses** 

Bassoon (D63B6) Rabbit mAb (#6897) Datasheet Without Images Cell Signaling Technology

Except as otherwise expressly agreed in a writing signed by a legally authorized representative of CST, the following terms apply to Products provided by CST, its affiliates or its distributors. Any Customer's terms and conditions that are in addition to, or different from, those contained herein, unless separately accepted in writing by a legally authorized representative of CST, are rejected and are of no force or effect.

Products are labeled with For Research Use Only or a similar labeling statement and have not been approved, cleared, or licensed by the FDA or other regulatory foreign or domestic entity, for any purpose. Customer shall not use any Product for any diagnostic or therapeutic purpose, or otherwise in any manner that conflicts with its labeling statement. Products sold or licensed by CST are provided for Customer as the end-user and solely for research and development uses. Any use of Product for diagnostic, prophylactic or therapeutic purposes, or any purchase of Product for resale (alone or as a component) or other commercial purpose, requires a separate license from CST. Customer shall (a) not sell, license, loan, donate or otherwise transfer or make available any Product to any third party, whether alone or in combination with other materials, or use the Products to manufacture any commercial products, (b) not copy, modify, reverse engineer, decompile, disassemble or otherwise attempt to discover the underlying structure or technology of the Products, or use the Products for the purpose of developing any products or services that would compete with CST products or services, (c) not alter or remove from the Products any trademarks, trade names, logos, patent or copyright notices or markings, (d) use the Products solely in accordance with CST Product Terms of Sale and any applicable documentation, and (e) comply with any license, terms of service or similar agreement with respect to any third party products or services used by Customer in connection with the Products.