Store at -20C

CBP (D6C5) Rabbit mAb



Orders: 877-616-CELL (2355)

orders@cellsignal.com

Support: 877-678-TECH (8324)

Web: info@cellsignal.com

cellsignal.com

3 Trask Lane | Danvers | Massachusetts | 01923 | USA

For Research Use Only. Not for Use in Diagnostic Procedures.

Applications:	Reactivity:	Sensitivity:	MW (kDa):	Source/Isotype:	UniProt ID:	Entrez-Gene Id:
WB, W-S, IP, IF-IC,	HMRMk	Endogenous	300	Rabbit IgG	#Q92793	1387
ChIP. ChIP-sea		•		_		

Product Usage Information

For optimal ChIP results, use 10 μ I of antibody and 10 μ I of chromatin (approximately 4 x 10⁶ cells) per IP. This antibody has been validated using SimpleChIP[®] Enzymatic Chromatin IP Kits.

Application	Dilution
Western Blotting	1:1000
Simple Western™	1:50 - 1:250
Immunoprecipitation	1:200
Immunofluorescence (Immunocytochemistry)	1:100 - 1:200
Chromatin IP	1:50
Chromatin IP-seq	1:50

Storage

Supplied in 10 mM sodium HEPES (pH 7.5), 150 mM NaCl, 100 μ g/ml BSA, 50% glycerol and less than 0.02% sodium azide. Store at -20° C. Do not aliquot the antibody.

Specificity / Sensitivity

CBP (D6C5) Rabbit mAb recognizes endogenous levels of total CBP protein. This antibody does not cross-react with p300 protein.

Source / Purification

Monoclonal antibody is produced by immunizing animals with a recombinant protein specific to the amino terminus of human CBP protein. The epitope has been mapped to residues surrounding Ser235.

Background

CBP (CREB-binding protein) and p300 are highly conserved and functionally related transcriptional coactivators that associate with transcriptional regulators and signaling molecules, integrating multiple signal transduction pathways with the transcriptional machinery (1,2). CBP/p300 also contain histone acetyltransferase (HAT) activity, allowing them to acetylate histones and other proteins (2). Phosphorylation of p300 at Ser89 by PKC represses its transcriptional activity, and phosphorylation at the same site by AMPK disrupts the association with C/EBP8 (5). Growth factors induce phosphorylation of CBP at

of p300 by Akt disrupts its association of p300 with nuclear receptors (3,4). Set 1834 phosphorylation of p300 by Akt disrupts its association with C/EBPβ (5). Growth factors induce phosphorylation of CBP at Ser437, which is required for CBP recruitment to the transcription complex (6). CaM kinase IV phosphorylates CBP at Ser302, which is required for CBP-dependent transcriptional activation in the CNS

(7). The role of acetylation of CBP/p300 is of particular interest (2,8). Acetylation of p300 at Lys1499 has been demonstrated to enhance its HAT activity and affect a wide variety of signaling events (9).

Background References

- 1. Goodman, R.H. and Smolik, S. (2000) Genes Dev 14, 1553-77.
- 2. Chan, H.M. and La Thangue, N.B. (2001) *J. Cell Sci.* 114, 2363-2373.
- 3. Yuan, L.W. and Gambee, J.E. (2000) *J. Biol. Chem.* 275, 40946-40951.
- 4. Yang, W. et al. (2001) J. Biol. Chem. 276, 38341-38344.
- 5. Guo, S. et al. (2001) *J. Biol. Chem.* 276, 8516-8523.
- 6. Zanger, K. et al. (2001) Mol. Cell 7, 551-558.
- 7. Impey, S. et al. (2002) Neuron 34, 235-244.
- 8. Yuan, L.W. and Giordano, A. (2002) Oncogene 21, 2253-2260.
- 9. Thompson, P.R. et al. (2004) Nat. Struct. Mol. Biol. 11, 308-315.

Species Reactivity

Species reactivity is determined by testing in at least one approved application (e.g., western blot).

Western Blot Buffer

IMPORTANT: For western blots, incubate membrane with diluted primary antibody in 5% w/v BSA, 1X TBS, 0.1% Tween® 20 at 4°C with gentle shaking, overnight.

Applications Key

1/1/24. 6:57 AM

CBP (D6C5) Rabbit mAb (#7389) Datasheet Without Images Cell Signaling Technology

WB: Western Blotting W-S: Simple Western™ IP: Immunoprecipitation

IF-IC: Immunofluorescence (Immunocytochemistry) ChIP: Chromatin IP ChIP-seq: Chromatin IP-seq

Cross-Reactivity Key

H: human M: mouse R: rat Hm: hamster Mk: monkey Vir: virus Mi: mink C: chicken Dm: D. melanogaster X: Xenopus Z: zebrafish B: bovine Dg: dog Pg: pig Sc: S. cerevisiae Ce: C. elegans Hr: horse GP: Guinea Pig Rab: rabbit All: all species expected

Trademarks and Patents

Cell Signaling Technology is a trademark of Cell Signaling Technology, Inc. All other trademarks are the property of their respective owners. Visit cellsignal.com/trademarks for more information.

Limited Uses

Except as otherwise expressly agreed in a writing signed by a legally authorized representative of CST, the following terms apply to Products provided by CST, its affiliates or its distributors. Any Customer's terms and conditions that are in addition to, or different from, those contained herein, unless separately accepted in writing by a legally authorized representative of CST, are rejected and are of no force or effect.

Products are labeled with For Research Use Only or a similar labeling statement and have not been approved, cleared, or licensed by the FDA or other regulatory foreign or domestic entity, for any purpose. Customer shall not use any Product for any diagnostic or therapeutic purpose, or otherwise in any manner that conflicts with its labeling statement. Products sold or licensed by CST are provided for Customer as the end-user and solely for research and development uses. Any use of Product for diagnostic, prophylactic or therapeutic purposes, or any purchase of Product for resale (alone or as a component) or other commercial purpose, requires a separate license from CST. Customer shall (a) not sell, license, loan, donate or otherwise transfer or make available any Product to any third party, whether alone or in combination with other materials, or use the Products to manufacture any commercial products, (b) not copy, modify, reverse engineer, decompile, disassemble or otherwise attempt to discover the underlying structure or technology of the Products, or use the Products for the purpose of developing any products or services that would compete with CST products or services, (c) not alter or remove from the Products any trademarks, trade names, logos, patent or copyright notices or markings, (d) use the Products solely in accordance with CST Product Terms of Sale and any applicable documentation, and (e) comply with any license, terms of service or similar agreement with respect to any third party products or services used by Customer in connection with the Products.