Phospho-FoxO3a (Ser413) (D77C9) Rabbit mAb



Orders: 877-616-CELL (2355)

orders@cellsignal.com

877-678-TECH (8324) Support:

Web: info@cellsignal.com

cellsignal.com

3 Trask Lane | Danvers | Massachusetts | 01923 | USA

| Applications: WB, IP | Reactivity: H | Sensitivity: Endogenous | MW (kDa): 82-97 | Source/Isotype: Rabbit IgG | UniProt ID: #O43524 | Entrez-Gene Id 2309 | |
|--|---|--|---------------------------|---|------------------------|------------------------|--|
| Product Usage Information | Ap | plication | | Dilution | | | |
| | We | stern Blotting | | 1:1000 | | | |
| | Imr | nunoprecipitation | | 1:50 | | | |
| Storage | • | Supplied in 10 mM sodium HEPES (pH 7.5), 150 mM NaCl, 100 μ g/ml BSA, 50% glycerol and less than 0.02% sodium azide. Store at -20° C. Do not aliquot the antibody. | | | | | |
| Specificity / Sensit | | Phospho-FoxO3a (Ser413) (D77C9) Rabbit mAb recognizes endogenous levels of FoxO3a protein only when phosphorylated at Ser413. This antibody does not cross-react with FoxO1 or FoxO4 proteins. | | | | | |
| Source / Purification Monoclonal antibody is produce residues surrounding Ser413 or | | | | d by immunizing animals with a synthetic peptide corresponding to human FoxO3a protein. | | | |
| Background | leuk to th Akt Incr Fork neg are expr by tl | The Forkhead family of transcription factors is involved in tumorigenesis of rhabdomyosarcoma and acute leukemias (1-3). Within the family, three members (FoxO1, FoxO4, and FoxO3a) have sequence similarity to the nematode orthologue DAF-16, which mediates signaling via a pathway involving IGFR1, PI3K, and Akt (4-6). Active forkhead members act as tumor suppressors by promoting cell cycle arrest and apoptosis. Increased expression of any FoxO member results in the activation of the cell cycle inhibitor p27 Kip1. Forkhead transcription factors also play a part in TGF-β-mediated upregulation of p21 Cip1, a process negatively regulated through PI3K (7). Increased proliferation results when forkhead transcription factors are inactivated through phosphorylation by Akt at Thr24, Ser256, and Ser319, which results in nuclear export and inhibition of transcription factor activity (8). Forkhead transcription factors can also be inhibited by the deacetylase sirtuin (SirT1) (9). AMPK phosphorylates FoxO3a at Ser413 amongst other sites. While this phosphorylation event does not alter the legalization of FoxO3a it legals to activation and transcriptional activity of foxos queb as | | | | | |

alter the localization of FoxO3a, it leads to activation and transcriptional activity of target genes such as Gadd45a (10).

Background References

- 1. Anderson, M.J. et al. (1998) Genomics 47, 187-99.
- 2. Galili, N. et al. (1993) Nat Genet 5, 230-5.
- 3. Borkhardt, A. et al. (1997) Oncogene 14, 195-202.
- 4. Nakae, J. et al. (1999) J Biol Chem 274, 15982-5.
- 5. Rena, G. et al. (1999) J Biol Chem 274, 17179-83.
- 6. Guo, S. et al. (1999) J Biol Chem 274, 17184-92.
- 7. Seoane, J. et al. (2004) Cell 117, 211-23.
- 8. Arden, K.C. (2004) Mol Cell 14, 416-8.
- 9. Yang, Y. et al. (2005) EMBO J 24, 1021-32.

10. Greer, E.L. et al. (2007) J Biol Chem 282, 30107-30119.

Species Reactivity

Species reactivity is determined by testing in at least one approved application (e.g., western blot).

Western Blot Buffer

IMPORTANT: For western blots, incubate membrane with diluted primary antibody in 5% w/v BSA, 1X TBS, 0.1% Tween® 20 at 4°C with gentle shaking, overnight.

Applications Key

WB: Western Blotting IP: Immunoprecipitation

Cross-Reactivity Key

H: human M: mouse R: rat Hm: hamster Mk: monkey Vir: virus Mi: mink C: chicken Dm: D. melanogaster

X: Xenopus Z: zebrafish B: bovine Dg: dog Pg: pig Sc: S. cerevisiae Ce: C. elegans Hr: horse

GP: Guinea Pig Rab: rabbit All: all species expected

1/1/24. 6:33 AM

Phospho-FoxO3a (Ser413) (D77C9) Rabbit mAb (#8174) Datasheet Without Images Cell Signaling Technology

Trademarks and Patents

Limited Uses

Cell Signaling Technology is a trademark of Cell Signaling Technology, Inc.
All other trademarks are the property of their respective owners. Visit cellsignal.com/trademarks for more information.

Except as otherwise expressly agreed in a writing signed by a legally authorized representative of CST, the following terms apply to Products provided by CST, its affiliates or its distributors. Any Customer's terms and conditions that are in addition to, or different from, those contained herein, unless separately accepted in writing by a legally authorized representative of CST, are rejected and are of no force or effect.

Products are labeled with For Research Use Only or a similar labeling statement and have not been approved, cleared, or licensed by the FDA or other regulatory foreign or domestic entity, for any purpose. Customer shall not use any Product for any diagnostic or therapeutic purpose, or otherwise in any manner that conflicts with its labeling statement. Products sold or licensed by CST are provided for Customer as the end-user and solely for research and development uses. Any use of Product for diagnostic, prophylactic or therapeutic purposes, or any purchase of Product for resale (alone or as a component) or other commercial purpose, requires a separate license from CST. Customer shall (a) not sell, license, loan, donate or otherwise transfer or make available any Product to any third party, whether alone or in combination with other materials, or use the Products to manufacture any commercial products, (b) not copy, modify, reverse engineer, decompile, disassemble or otherwise attempt to discover the underlying structure or technology of the Products, or use the Products for the purpose of developing any products or services that would compete with CST products or services, (c) not alter or remove from the Products any trademarks, trade names, logos, patent or copyright notices or markings, (d) use the Products solely in accordance with CST Product Terms of Sale and any applicable documentation, and (e) comply with any license, terms of service or similar agreement with respect to any third party products or services used by Customer in connection with the Products.