

#9115 Store at -20C

Blimp-1/PRDI-BF1 (C14A4) Rabbit mAb



Cell Signaling
TECHNOLOGY®

Orders: 877-616-CELL (2355)
orders@cellsignal.com

Support: 877-678-TECH (8324)

Web: info@cellsignal.com
cellsignal.com

3 Trask Lane | Danvers | Massachusetts | 01923 | USA

For Research Use Only. Not for Use in Diagnostic Procedures.

Applications:	Reactivity:	Sensitivity:	MW (kDa):	Source/Isotype:	UniProt ID:	Entrez-Gene Id:
WB, IP, IF-IC, FC-FP	H M	Endogenous	95-100	Rabbit IgG	#O75626	639

Product Usage Information

Application

Western Blotting
Immunoprecipitation
Immunofluorescence (Immunocytochemistry)
Flow Cytometry (Fixed/Permeabilized)

Dilution

1:1000
1:100
1:100
1:50

Storage

Supplied in 10 mM sodium HEPES (pH 7.5), 150 mM NaCl, 100 µg/ml BSA, 50% glycerol and less than 0.02% sodium azide. Store at -20°C. Do not aliquot the antibody.

For a carrier free (BSA and azide free) version of this product see product #89036.

Specificity / Sensitivity

Blimp-1/PRDI-BF1 (C14A4) Rabbit mAb detects endogenous levels of total Blimp-1/PRDI-BF1 protein.

Species predicted to react based on 100% sequence homology:

Monkey

Source / Purification

Monoclonal antibody is produced by immunizing animals with a synthetic peptide corresponding to residues surrounding Val90 of human PRDI-BF1 isoform 2.

Background

Blimp-1 (B lymphocyte-induced maturation protein) is a nuclear zinc-finger containing transcriptional repressor that is considered a master regulator of terminal B cell development (1). The human homolog, PRDI-BF1, was identified by its ability to bind to the PRDI element on the IFN-β promoter and can inhibit virus-mediated IFN-β production (2). Expression of Blimp-1 is sufficient to drive terminal differentiation of BCL1 lymphoma cells into antibody secreting plasma cells, increasing the expression of the cell surface marker Syndecan-1 (1). In the B cell lineage, Blimp-1 is specifically expressed in antibody-secreting cells including activated B and plasma cells. In addition, Blimp-1 has been found during macrophage differentiation (3) and in a subset of T cells (4,5), suggesting it may play a wider role in homeostasis and differentiation (6). Mechanistically, Blimp-1 is thought to act by recruiting chromatin-modifying enzymes including histone deacetylases (7) and methyltransferases (8,9). Target genes of Blimp-1 transcriptional repression with potential roles in differentiation include c-Myc (10), CIITA (11), Pax5 (12), Spi-B, and Id3 (13).

Background References

1. Turner, C.A. et al. (1994) *Cell* 77, 297-306.
2. Keller, A.D. and Maniatis, T. (1991) *Genes Dev* 5, 868-79.
3. Chang, D.H. et al. (2000) *Nat Immunol* 1, 169-76.
4. Kallies, A. et al. (2006) *Nat Immunol* 7, 466-74.
5. Martins, G.A. et al. (2006) *Nat Immunol* 7, 457-65.
6. Kallies, A. and Nutt, S.L. (2007) *Curr Opin Immunol* 19, 156-62.
7. Yu, J. et al. (2000) *Mol Cell Biol* 20, 2592-603.
8. Gyory, I. et al. (2004) *Nat Immunol* 5, 299-308.
9. Ancelin, K. et al. (2006) *Nat Cell Biol* 8, 623-30.
10. Lin, Y. et al. (1997) *Science* 276, 596-9.
11. Chen, H. et al. (2007) *Mol Immunol* 44, 1461-70.
12. Lin, K.I. et al. (2002) *Mol Cell Biol* 22, 4771-80.
13. Shaffer, A.L. et al. (2006) *Immunol Rev* 210, 67-85.

Species Reactivity

Species reactivity is determined by testing in at least one approved application (e.g., western blot).

Western Blot Buffer

IMPORTANT: For western blots, incubate membrane with diluted primary antibody in 5% w/v BSA, 1X TBS, 0.1% Tween® 20 at 4°C with gentle shaking, overnight.

Applications Key

WB: Western Blotting **IP:** Immunoprecipitation **IF-IC:** Immunofluorescence (Immunocytochemistry)
FC-FP: Flow Cytometry (Fixed/Permeabilized)

Cross-Reactivity Key

H: human **M:** mouse **R:** rat **Hm:** hamster **Mk:** monkey **Vir:** virus **Mi:** mink **C:** chicken **Dm:** D. melanogaster
X: Xenopus **Z:** zebrafish **B:** bovine **Dg:** dog **Pg:** pig **Sc:** S. cerevisiae **Ce:** C. elegans **Hr:** horse
GP: Guinea Pig **Rab:** rabbit **All:** all species expected

Trademarks and Patents

Cell Signaling Technology is a trademark of Cell Signaling Technology, Inc.
U.S. Patent No. 7,429,487, foreign equivalents, and child patents deriving therefrom.
All other trademarks are the property of their respective owners. Visit cellsignal.com/trademarks for more information.

Limited Uses

Except as otherwise expressly agreed in a writing signed by a legally authorized representative of CST, the following terms apply to Products provided by CST, its affiliates or its distributors. Any Customer's terms and conditions that are in addition to, or different from, those contained herein, unless separately accepted in writing by a legally authorized representative of CST, are rejected and are of no force or effect.

Products are labeled with For Research Use Only or a similar labeling statement and have not been approved, cleared, or licensed by the FDA or other regulatory foreign or domestic entity, for any purpose. Customer shall not use any Product for any diagnostic or therapeutic purpose, or otherwise in any manner that conflicts with its labeling statement. Products sold or licensed by CST are provided for Customer as the end-user and solely for research and development uses. Any use of Product for diagnostic, prophylactic or therapeutic purposes, or any purchase of Product for resale (alone or as a component) or other commercial purpose, requires a separate license from CST. Customer shall (a) not sell, license, loan, donate or otherwise transfer or make available any Product to any third party, whether alone or in combination with other materials, or use the Products to manufacture any commercial products, (b) not copy, modify, reverse engineer, decompile, disassemble or otherwise attempt to discover the underlying structure or technology of the Products, or use the Products for the purpose of developing any products or services that would compete with CST products or services, (c) not alter or remove from the Products any trademarks, trade names, logos, patent or copyright notices or markings, (d) use the Products solely in accordance with CST Product Terms of Sale and any applicable documentation, and (e) comply with any license, terms of service or similar agreement with respect to any third party products or services used by Customer in connection with the Products.