e at -20C	LIN28B (D4H1) Rabbit mAb		Cell Signaling		
Store		Orders:	877-616-CELL (2355) orders@cellsignal.com		
65		Support:	877-678-TECH (8324)		
¢11965		Web:	info@cellsignal.com cellsignal.com		
#		3 Trask Lane Danvers	Massachusetts   01923   USA		

For Research Lise Only	/ Not for Use i	n Diagnostic Procedures.
FUI RESEAICH USE UNI	. NULIULUSE II	II Diagnostic Frocedures.

Applications: WB, IP	Reactivity: H	Sensitivity: Endogenous	<b>MW (kDa):</b> 32, 21	Source/Isotype: Rabbit IgG	UniProt ID: #Q6ZN17	Entrez-Gene Id: 389421	
Product Usage Information		Application Western Blotting Immunoprecipitation			<b>Dilution</b> 1:1000 1:100		
Storage		Supplied in 10 mM sodium HEPES (pH 7.5), 150 mM NaCl, 100 μg/ml BSA, 50% glycerol and less than 0.02% sodium azide. Store at –20°C. Do not aliquot the antibody.					
Specificity / Sens	itivity I	LIN28B (D4H1) Rabbit mAb recognizes endogenous levels of total LIN28B protein.					
Source / Purification		Monoclonal antibody is produced by immunizing animals with a synthetic peptide corresponding to residues near the carboxy terminus of human LIN28B protein.					
Background	ן ר כ כ ר ר ר	LIN28A and LIN28B are of processing and maturation repression of oncogeness of LIN28A and LIN28B in downregulation of let-7 m development and germ cor regulating the timing of p and Nanog, can reprogra	on of the let-7 fa such as Ras, M primary human hiRNAs (4). LIN2 ell malignancy ( uberty in humar	mily of miRNAs (1,2). The Myc, and HMGA2 (3). It has tumors and human can 28 genes are reported to (5). In addition, allelic va as (6). Overexpression co	ne let-7 miRNAs have has recently been show cer cell lines is correla be involved in primor riation in LIN28B is as f LIN28A, in conjunction	been implicated in wn that upregulation ated with dial germ cell sociated with	
Background Refe	2 3 2 5 6	L. Balzer, E. and Moss, E 2. Piskounova, E. et al. (2 3. Cho, W.C. (2007) <i>Mol</i> 4. Viswanathan, S.R. et a 5. West, J.A. et al. (2009) 5. Ong, K.K. et al. (2009) 7. Yu, J. et al. (2007) <i>Sci</i> e	2008) J Biol Che Cancer 6, 60. al. (2009) Nat G Nature 460, 90 Nat Genet 41,	em 283, 21310-4. enet 41, 843-8. 09-13. 729-33.			
Species Reactivity		pecies reactivity is deter	mined by testing	g in at least one approve	ed application (e.g., we	estern blot).	
Western Blot Buffer		IMPORTANT: For western blots, incubate membrane with diluted primary antibody in 5% w/v BSA, 1X TBS, 0.1% Tween® 20 at 4°C with gentle shaking, overnight.					
Applications Key		WB: Western Blotting IP: Immunoprecipitation					
Cross-Reactivity Key		<ul> <li>H: human M: mouse R: rat Hm: hamster Mk: monkey Vir: virus Mi: mink C: chicken Dm: D. melanogaster</li> <li>X: Xenopus Z: zebrafish B: bovine Dg: dog Pg: pig Sc: S. cerevisiae Ce: C. elegans Hr: horse</li> <li>GP: Guinea Pig Rab: rabbit All: all species expected</li> </ul>					
Trademarks and Patents		Cell Signaling Technology is a trademark of Cell Signaling Technology, Inc. All other trademarks are the property of their respective owners. Visit cellsignal.com/trademarks for more information.					
Limited Uses	ollowing terms apply to P onditions that are in addi	as otherwise expressly agreed in a writing signed by a legally authorized representative of CST, the g terms apply to Products provided by CST, its affiliates or its distributors. Any Customer's terms and ns that are in addition to, or different from, those contained herein, unless separately accepted in by a legally authorized representative of CST, are rejected and are of no force or effect.					

LIN28B (D4H1) Rabbit mAb (#11965) Datasheet Without Images Cell Signaling Technology

Products are labeled with For Research Use Only or a similar labeling statement and have not been approved, cleared, or licensed by the FDA or other regulatory foreign or domestic entity, for any purpose. Customer shall not use any Product for any diagnostic or therapeutic purpose, or otherwise in any manner that conflicts with its labeling statement. Products sold or licensed by CST are provided for Customer as the end-user and solely for research and development uses. Any use of Product for diagnostic, prophylactic or therapeutic purposes, or any purchase of Product for resale (alone or as a component) or other commercial purpose, requires a separate license from CST. Customer shall (a) not sell, license, loan, donate or otherwise transfer or make available any Product to any third party, whether alone or in combination with other materials, or use the Products to manufacture any commercial products, (b) not copy, modify, reverse engineer, decompile, disassemble or otherwise attempt to discover the underlying structure or technology of the Products, or use the Products for the purpose of developing any products or services that would compete with CST products or services, (c) not alter or remove from the Products any trademarks, trade names, logos, patent or copyright notices or markings, (d) use the Products solely in accordance with CST Product Terms of Sale and any applicable documentation, and (e) comply with any license, terms of service or similar agreement with respect to any third party products or services used by Customer in connection with the Products.