3/23/24, 10:32 AM Revision 7

BCL6 (D4I2V) XP <sup>®</sup> Rabbit mAb 1705 1707 1707 1707 1707 1707 1707 1707					CHNOLOGY® 877-616-CELL (2355 orders@cellsignal.com
95				Support:	877-678-TECH (8324)
:148				Web:	info@cellsignal.com cellsignal.com
#			3 Trask L	ane   Danvers   Ma	ssachusetts   01923   USA
For Research Use Only. Not for	Use in Diagnostic Proc	edures.			
Applications: Reactive WB, W-S, IP, IF-IC, FC- H FP, ChIP, ChIP-seq, C&R	vity: Sensitivity: Endogenous	<b>MW (kDa):</b> 87-98	Source/Isotype: Rabbit IgG	UniProt ID: #P41182	Entrez-Gene Id: 604
Product Usage Information			use 5 µl of antibody and dated using SimpleChIP		
	The CUT&RUN dilution	was determined	using CUT&RUN Assay	Kit #86652.	
	Application			Dil	ution
	Western Blotting			1:1	000
	Simple Western™			1:10 - 1:50	
	Immunoprecipitation			1:200	
	Immunofluorescence (Immunocytochemistry)			1:50 - 1:100	
	Flow Cytometry (Fixed/Permeabilized)			1:800 - 1:1600	
	Chromatin IP			1:100	
	Chromatin IP-seq			1:100	
	CUT&RUN			1:100	
Storage	Supplied in 10 mM sodium HEPES (pH 7.5), 150 mM NaCl, 100 $\mu$ g/ml BSA, 50% glycerol and less than 0.02% sodium azide. Store at –20°C. Do not aliquot the antibody.				
	For a carrier free (BSA and azide free) version of this product see product #47899.				
Specificity / Sensitivity	BCL6 (D4I2V) XP <sup>®</sup> Rabbit mAb recognizes endogenous levels of total BCL6 protein. It is predicted to detect both human BCL6 isoform 1 and isoform 2.				
Source / Purification	Monoclonal antibody is produced by immunizing animals with a recombinant protein fragment spanning residues Asp210 through Thr409 of human BCL6 protein.				
Background	Chromosomal translocations result in misregulation of the proto-oncogene <i>BCL6</i> in patients with B cell- derived non-Hodgkin's lymphoma (1). The <i>BCL6</i> gene is selectively expressed in mature B cells and encodes a nuclear phosphoprotein that belongs to the BTB/POZ zinc finger family of transcription factors (2,3). BCL6 protein can bind to target DNA sequences of Stat6 and, analogous to Stat6, modulate the expression of interleukin-4-induced genes (4). Furthermore, BCL6 restrains p53-dependent senescence, making BCL6-active tumors functionally p53-negative (5). The mitogen-activated protein kinases, Erk1 and Erk2, but not JNK, phosphorylate BCL6 at multiple sites. Phosphorylation of BCL6 at Ser333 and Ser343 results in degradation of BCL6 by the ubiquitin/proteasome pathway in B cells (6,7). In addition, BCL6 is acetylated and its transcriptional repressor function is inhibited by the transcriptional co-activator p300 (8).				
Background References	<ol> <li>Ye, B.H. et al. (1993) Science 262, 747-50.</li> <li>Onizuka, T. et al. (1995) Blood 86, 28-37.</li> <li>Zollman, S. et al. (1994) Proc Natl Acad Sci U S A 91, 10717-21.</li> <li>Harris, M.B. et al. (1999) Mol Cell Biol 19, 7264-75.</li> <li>Shvarts, A. et al. (2002) Genes Dev 16, 681-6.</li> <li>Moriyama, M. et al. (1997) Oncogene 14, 2465-74.</li> <li>Niu, H. et al. (1998) Genes Dev 12, 1953-61.</li> <li>Bereshchenko, O.R. et al. (2002) Nat Genet 32, 606-13.</li> </ol>				

Species reactivity is determined by testing in at least one approved application (e.g., western blot).

3/23/24, 10:32 AM Western Blot Buffer	BCL6 (D4I2V) XP® Rabbit mAb (#14895) Datasheet Without Images Cell Signaling Technolo IMPORTANT: For western blots, incubate membrane with diluted primary antibody in 5% w/v nonfat dry milk, 1X TBS, 0.1% Tween® 20 at 4°C with gentle shaking, overnight.	
Applications Key	WB: Western Blotting W-S: Simple Western™ IP: Immunoprecipitation IF-IC: Immunofluorescence (Immunocytochemistry) FC-FP: Flow Cytometry (Fixed/Permeabilized) ChIP: Chromatin IP ChIP-seq: Chromatin IP-seq C&R: CUT&RUN	
Cross-Reactivity Key	<ul> <li>H: human M: mouse R: rat Hm: hamster Mk: monkey Vir: virus Mi: mink C: chicken Dm: D. melanogaster</li> <li>X: Xenopus Z: zebrafish B: bovine Dg: dog Pg: pig Sc: S. cerevisiae Ce: C. elegans Hr: horse</li> <li>GP: Guinea Pig Rab: rabbit All: all species expected</li> </ul>	
Trademarks and Patents	Cell Signaling Technology is a trademark of Cell Signaling Technology, Inc. Alexa Fluor is a registered trademark of Life Technologies Corporation. All other trademarks are the property of their respective owners. Visit cellsignal.com/trademarks for more information.	
Limited Uses	Except as otherwise expressly agreed in a writing signed by a legally authorized representative of CST, the following terms apply to Products provided by CST, its affiliates or its distributors. Any Customer's terms and conditions that are in addition to, or different from, those contained herein, unless separately accepted in writing by a legally authorized representative of CST, are rejected and are of no force or effect.	
	Products are labeled with For Research Use Only or a similar labeling statement and have not been approved, cleared, or licensed by the FDA or other regulatory foreign or domestic entity, for any purpose. Customer shall not use any Product for any diagnostic or therapeutic purpose, or otherwise in any manner that conflicts with its labeling statement. Products sold or licensed by CST are provided for Customer as the end-user and solely for research and development uses. Any use of Product for diagnostic, prophylactic or therapeutic purposes, or any purchase of Product for resale (alone or as a component) or other commercial purpose, requires a separate license from CST. Customer shall (a) not sell, license, loan, donate or otherwise transfer or make available any Product to any third party, whether alone or in combination with other materials, or use the Products to manufacture any commercial products, (b) not copy, modify, reverse engineer, decompile, disassemble or otherwise attempt to discover the underlying structure or technology of the Products, or use the Products for the purpose of developing any products any trademarks, trade names, logos, patent or copyright notices or markings, (d) use the Products solely in accordance with CST Product Terms of Sale and any applicable documentation, and (e) comply with any license, terms of service or similar agreement with respect to any third party products or services used by Customer in connection with the Products.	