#61586 Store at -20C

## SAT1 (D1T7M) Rabbit mAb



Orders: 877-616-CELL (2355)

orders@cellsignal.com

Support: 877-678-TECH (8324)

Web: info@cellsignal.com

cellsignal.com

3 Trask Lane | Danvers | Massachusetts | 01923 | USA

For Research Use Only. Not for Use in Diagnostic Procedures.

<b>Applications:</b> WB, IP	Reactivity: H	<b>Sensitivity:</b> Endogenous	<b>MW (kDa):</b> 18	Source/Isotype: Rabbit IgG	UniProt ID: #P21673	Entrez-Gene Id: 6303	
Product Usage Information	Ар	plication		Dilution			
	We	estern Blotting			1:1000		
	Im	munoprecipitation			1:50		
Storage		Supplied in 10 mM sodium HEPES (pH 7.5), 150 mM NaCl, 100 $\mu$ g/ml BSA, 50% glycerol and less than 0.02% sodium azide. Store at $-20^{\circ}$ C. Do not aliquot the antibody.					
Specificity / Sensitiv	vity SAT	SAT1 (D1T7M) Rabbit mAb recognizes endogenous levels of total SAT1 protein.					
Species predicted to react based on 100% sequence homology	6	use					
Source / Purification	rce / Purification  Monoclonal antibody is produced by immunizing animals with a synthetic peptide corresponding residues surrounding Trp132 of human SAT1 protein.					esponding to	
Background	ace faci poly sho ove	Spermidine/spermine N1-acetyltransferase 1 (SAT1) is a key enzyme in polyamine metabolism. It acts by acetylating spermidine and spermine using acetyl-coenzyme A (CoA), which alters their charge and facilitates their secretion (1,2). SAT1 activity is tightly controlled in cells, but increases quickly by excess polyamines. Its activity can also be induced by a number of other stimuli, such as oxidative stress, heat shock, insulin-like growth factor-I, and cytotoxins (2-4). Research studies have found that SAT1 is overexpressed in glioblastoma multiforme (GBM), which suggest that SAT1 may be a potential therapeutic target for GBM (5).					
Background Refere	2. P 3. B	<ol> <li>Casero, R.A. and Pegg, A.E. (1993) FASEB J 7, 653-61.</li> <li>Pegg, A.E. (2008) Am J Physiol Endocrinol Metab 294, E995-1010.</li> <li>Butcher, N.J. et al. (2007) J Biol Chem 282, 28530-9.</li> <li>Perez-Leal, O. et al. (2012) Mol Cell Biol 32, 1453-67.</li> </ol>					

**Species Reactivity** 

Species reactivity is determined by testing in at least one approved application (e.g., western blot).

Western Blot Buffer

IMPORTANT: For western blots, incubate membrane with diluted primary antibody in 5% w/v nonfat dry milk, 1X TBS, 0.1% Tween® 20 at 4°C with gentle shaking, overnight.

**Applications Key** 

WB: Western Blotting IP: Immunoprecipitation

**Cross-Reactivity Key** 

H: human M: mouse R: rat Hm: hamster Mk: monkey Vir: virus Mi: mink C: chicken Dm: D. melanogaster

X: Xenopus Z: zebrafish B: bovine Dg: dog Pg: pig Sc: S. cerevisiae Ce: C. elegans Hr: horse

GP: Guinea Pig Rab: rabbit All: all species expected

5. Brett-Morris, A. et al. (2014) Cancer Res 74, 6925-34.

Trademarks and Patents

 $\hbox{\it Cell Signaling Technology is a trademark of Cell Signaling Technology, Inc. } \\$ 

All other trademarks are the property of their respective owners. Visit cellsignal.com/trademarks for more

information.

**Limited Uses** 

Except as otherwise expressly agreed in a writing signed by a legally authorized representative of CST, the following terms apply to Products provided by CST, its affiliates or its distributors. Any Customer's terms and conditions that are in addition to, or different from, those contained herein, unless separately accepted in writing by a legally authorized representative of CST, are rejected and are of no force or effect.

SAT1 (D1T7M) Rabbit mAb (#61586) Datasheet Without Images Cell Signaling Technology

Products are labeled with For Research Use Only or a similar labeling statement and have not been approved, cleared, or licensed by the FDA or other regulatory foreign or domestic entity, for any purpose. Customer shall not use any Product for any diagnostic or therapeutic purpose, or otherwise in any manner that conflicts with its labeling statement. Products sold or licensed by CST are provided for Customer as the end-user and solely for research and development uses. Any use of Product for diagnostic, prophylactic or therapeutic purposes, or any purchase of Product for resale (alone or as a component) or other commercial purpose, requires a separate license from CST. Customer shall (a) not sell, license, loan, donate or otherwise transfer or make available any Product to any third party, whether alone or in combination with other materials, or use the Products to manufacture any commercial products, (b) not copy, modify, reverse engineer, decompile, disassemble or otherwise attempt to discover the underlying structure or technology of the Products, or use the Products for the purpose of developing any products or services that would compete with CST products or services, (c) not alter or remove from the Products any trademarks, trade names, logos, patent or copyright notices or markings, (d) use the Products solely in accordance with CST Product Terms of Sale and any applicable documentation, and (e) comply with any license, terms of service or similar agreement with respect to any third party products or services used by Customer in connection with the Products.