

-

Acetyl-α-Tubulin (Lys40) (D20G3) XP[®] Rabbit mAb (Alexa Fluor[®] 647 Conjugate)



Orders:	877-616-CELL (2355) orders@cellsignal.com		
Support:	877-678-TECH (8324)		
Web:	info@cellsignal.com cellsignal.com		

3 Trask Lane | Danvers | Massachusetts | 01923 | USA

For Research Use Only. Not for Use in Diagnostic Procedures.

Applications: IF-IC, FC-FP	Reactivity: H M R Mk Z	Sensitivity: Endogenous	Source/Isotype: Rabbit IgG	UniProt ID: #P68363	Entrez-Gene Id: 10376	
Product Usage	Ар	plication			Dilution	
Information	Imn	nunofluorescence	(Immunocytochemistry)		1:50	
	Flov	w Cytometry (Fixed	d/Permeabilized)		1:50	
Storage		Supplied in PBS (pH 7.2), less than 0.1% sodium azide and 2 mg/ml BSA. Store at 4°C. Do not aliquot the antibody. Protect from light. Do not freeze.				
Specificity / Sensi		Acetyl- α -Tubulin (Lys40) (D20G3) XP [®] Rabbit mAb (Alexa Fluor [®] 647 Conjugate) detects endogenous levels of α -tubulin only when acetylated at Lys40. This amino acid is not conserved in β -tubulin.				
Species predicted react based on 10 sequence homolo	0%	opus				
Source / Purificati		,	produced by immunizing anima ys40 of human α-tubulin.	ls with a synthetic acetylpeptide	e corresponding to	
Product Description	hous	se for direct flow cy	hnology antibody is conjugated t tometric analysis in human cells γ as the unconjugated Acetyl-α-T	. This antibody is expected to e	xhibit the same	
Background	and tubu nucl med men mov	The cytoskeleton consists of three types of cytosolic fibers: microtubules, microfilaments (actin filaments), and intermediate filaments. Globular tubulin subunits comprise the microtubule building block, with α/β -tubulin heterodimers forming the tubulin subunit common to all eukaryotic cells. y-tubulin is required to nucleate polymerization of tubulin subunits to form microtubule polymers. Many cell movements are mediated by microtubule action, including the beating of cilia and flagella, cytoplasmic transport of membrane vesicles, chromosome alignment during meiosis/mitosis, and nerve-cell axon migration. These movements result from competitive microtubule polymerization and depolymerization or through the actions of microtubule motor proteins (1).				
Background Refer	rences 1. W	estermann, S. and	Weber, K. (2003) Nat Rev Mol C	Cell Biol 4, 938-47.		
Species Reactivity	y Spec	ies reactivity is det	ermined by testing in at least one	e approved application (e.g., we	estern blot).	
Applications Key	IF-IC	IF-IC: Immunofluorescence (Immunocytochemistry) FC-FP: Flow Cytometry (Fixed/Permeabilized)				
Cross-Reactivity F	X: Xe	H: human M: mouse R: rat Hm: hamster Mk: monkey Vir: virus Mi: mink C: chicken Dm: D. melanogaster X: Xenopus Z: zebrafish B: bovine Dg: dog Pg: pig Sc: S. cerevisiae Ce: C. elegans Hr: horse GP: Guinea Pig Rab: rabbit All: all species expected				
Trademarks and Patents					n research Id the buyer must not poses; (b) testing, pasis; or (c)	

1/1/24, 3:03 PM

Acetyl-α-Tubulin (Lys40) (D20G3) XP® Rabbit mAb (Alexa Fluor® 647 Conjugate) (#81502) Datasheet With... components for resale, whether or not resold for use in research. For information on purchasing a license to

this product for purposes other than as described above, contact Life Technologies Corporation, 5791 Van Allen Way, Carlsbad, CA 92008 USA or outlicensing@lifetech.com. All other trademarks are the property of their respective owners. Visit cellsignal.com/trademarks for more information.

Limited Uses

Except as otherwise expressly agreed in a writing signed by a legally authorized representative of CST, the following terms apply to Products provided by CST, its affiliates or its distributors. Any Customer's terms and conditions that are in addition to, or different from, those contained herein, unless separately accepted in writing by a legally authorized representative of CST, are rejected and are of no force or effect.

Products are labeled with For Research Use Only or a similar labeling statement and have not been approved, cleared, or licensed by the FDA or other regulatory foreign or domestic entity, for any purpose. Customer shall not use any Product for any diagnostic or therapeutic purpose, or otherwise in any manner that conflicts with its labeling statement. Products sold or licensed by CST are provided for Customer as the end-user and solely for research and development uses. Any use of Product for diagnostic, prophylactic or therapeutic purposes, or any purchase of Product for resale (alone or as a component) or other commercial purpose, requires a separate license from CST. Customer shall (a) not sell, license, loan, donate or otherwise transfer or make available any Product to any third party, whether alone or in combination with other materials, or use the Products to manufacture any commercial products, (b) not copy, modify, reverse engineer, decompile, disassemble or otherwise attempt to discover the underlying structure or technology of the Products, or use the Products for the purpose of developing any products or services that would compete with CST products or services, (c) not alter or remove from the Products any trademarks, trade names, logos, patent or copyright notices or markings, (d) use the Products solely in accordance with CST Product Terms of Sale and any applicable documentation, and (e) comply with any license, terms of service or similar agreement with respect to any third party products or services used by Customer in connection with the Products.