-

e at -20C	Kindlin-3 (D8I7V) Rabbit mAb	HE .	Cell Signaling		
Store		Orders:	877-616-CELL (2355) orders@cellsignal.com		
69		Support:	877-678-TECH (8324)		
±104		Web:	info@cellsignal.com cellsignal.com		
#		3 Trask Lane Danvers	Massachusetts 01923 USA		

For Research Use Only. Not for Use in Diagnostic Procedures.

•		0						
Applications: WB, IP, IHC-P, FC-FP	Reactivity: H M R	Sensitivity: Endogenous	MW (kDa): 75	Source/Isotype: Rabbit IgG	UniProt ID: #Q86UX7	Entrez-Gene Id: 83706		
Product Usage		Application				Dilution		
information		Western Blotting				1:1000		
		Immunoprecipitation				1:100		
		Immunohistochemistry (Paraffin)			1:400		
		Flow Cytometry (Fixed/F	Permeabilized)			1:50		
Storage	:	Supplied in 10 mM sodium HEPES (pH 7.5), 150 mM NaCl, 100 μg/ml BSA, 50% glycerol and less than 0.02% sodium azide. Store at –20°C. Do not aliquot the antibody.						
Specificity / Sensitivity		Kindlin-3 (D8I7V) Rabbit mAb recognizes endogenous levels of total Kindlin-3 protein.						
Source / Purification		Monoclonal antibody is produced by immunizing animals with a synthetic peptide corresponding to residues surrounding Arg648 of human Kindlin-3 protein.						
Background		The kindlin family of focal signaling, adhesion, migra family members 1, 2, and s primarily expressed in or restricted to the hematop Kindlin-3 (FERMT3 or UF essential role in integrin a the hematopoietic system activates integrin-mediate that cause a rare heredita	adhesion prote ation, angiogen I 3 (FERM1, FE epithelial cells, I oietic system (3 RP2) is a memb activation and in a (5). Kindlin-3, ed signaling cas ary human dise	eins is involved in multiplesis, differentiation, and RM2, and URP2) are differentiation, and kindlin-2 is ubiquitously b). er of the kindlin family of various immune function together with talin, binds scades (6-8). Research states ase, leukocyte-adhesion	e biological process mitotic spindle form ferentially expressed expressed, and kindl focal adhesion prot ns (3,4). Kindlin-3 is to the cytoplasmic t studies identified mut deficiency (LAD) typ	es, including integrin ation (1,2). Kindlin d in tissues. Kindlin-1 lin-3 expression is eins, which plays an mainly expressed in vail of β -integrin and tations of Kindlin-3 be III (9,10).		
Background Refere	nces	L. Ye, F. and Petrich, B.G 2. Meves, A. et al. (2009) 3. Karaköse, E. et al. (201 4. Fagerholm, S.C. et al. (5. Pasini, E.M. et al. (200 5. Tadokoro, S. et al. (200 7. Wegener, K.L. et al. (200 9. Malinin, N.L. et al. (200 0. Svensson, L. et al. (200	. (2011) Curr O Trends Cell Bid 10) J Cell Sci 12 (2014) Am J Cli 6) Blood 108, 7 03) Science 302 007) Cell 128, 1 Science 324, 8 09) Nat Med 15, 09) Nat Med 15	pin Hematol 18, 356-60. ol 19, 504-13. 23, 2353-6. in Exp Immunol 3, 37-42 91-801. 2, 103-6. .71-82. 95-9. 313-8. , 306-12.				
Species Reactivity	S	pecies reactivity is deterr	mined by testing	g in at least one approve	d application (e.g., v	vestern blot).		
Western Blot Buffer		IMPORTANT: For western blots, incubate membrane with diluted primary antibody in 5% w/v nonfat dry milk, 1X TBS, 0.1% Tween® 20 at 4°C with gentle shaking, overnight.						
Applications Key		WB: Western Blotting IP: Immunoprecipitation IHC-P: Immunohistochemistry (Paraffin) FC-FP: Flow Cytometry (Fixed/Permeabilized)						
Cross-Reactivity Key		 H: human M: mouse R: rat Hm: hamster Mk: monkey Vir: virus Mi: mink C: chicken Dm: D. melanogaster X: Xenopus Z: zebrafish B: bovine Dg: dog Pg: pig Sc: S. cerevisiae Ce: C. elegans Hr: horse GP: Guinea Pig Rab: rabbit All: all species expected 						

Trademarks and Patents Kindlin-3 (D8I7V) Rabbit mAb (#10459) Datasheet Without Images Cell Signaling Technology

Cell Signaling Technology is a trademark of Cell Signaling Technology, Inc. Alexa Fluor is a registered trademark of Life Technologies Corporation. All other trademarks are the property of their respective owners. Visit cellsignal.com/trademarks for more information.

Limited Uses

Except as otherwise expressly agreed in a writing signed by a legally authorized representative of CST, the following terms apply to Products provided by CST, its affiliates or its distributors. Any Customer's terms and conditions that are in addition to, or different from, those contained herein, unless separately accepted in writing by a legally authorized representative of CST, are rejected and are of no force or effect.

Products are labeled with For Research Use Only or a similar labeling statement and have not been approved, cleared, or licensed by the FDA or other regulatory foreign or domestic entity, for any purpose. Customer shall not use any Product for any diagnostic or therapeutic purpose, or otherwise in any manner that conflicts with its labeling statement. Products sold or licensed by CST are provided for Customer as the end-user and solely for research and development uses. Any use of Product for diagnostic, prophylactic or therapeutic purposes, or any purchase of Product for resale (alone or as a component) or other commercial purpose, requires a separate license from CST. Customer shall (a) not sell, license, loan, donate or otherwise transfer or make available any Product to any third party, whether alone or in combination with other materials, or use the Products to manufacture any commercial products, (b) not copy, modify, reverse engineer, decompile, disassemble or otherwise attempt to discover the underlying structure or technology of the Products, or use the Products for the purpose of developing any products or services that would compete with CST products or services, (c) not alter or remove from the Products any trademarks, trade names, logos, patent or copyright notices or markings, (d) use the Products solely in accordance with CST Product Terms of Sale and any applicable documentation, and (e) comply with any license, terms of service or similar agreement with respect to any third party products or services used by Customer in connection with the Products.