#65583 store at +4c

ALDH1A1 (D9Q8E) XP[®] Rabbit mAb (PE Conjugate)



Orders: 877-616-CELL (2355)

orders@cellsignal.com

Support: 877-678-TECH (8324)

Web: info@cellsignal.com

cellsignal.com

3 Trask Lane | Danvers | Massachusetts | 01923 | USA

For Research Use Only. Not for Use in Diagnostic Procedures.

Source/Isotype: Applications: Reactivity: Sensitivity: **UniProt ID:** Entrez-Gene Id: FC-FP Н Endogenous Rabbit IgG #P00352 216 **Product Usage** Application Dilution Information Flow Cytometry (Fixed/Permeabilized) 1:50 Supplied in PBS (pH 7.2), less than 0.1% sodium azide and 2 mg/ml BSA. Store at 4°C. Do not aliquot the **Storage** antibodies. Protect from light. Do not freeze. ALDH1A1 (D9Q8E) XP® Rabbit mAb (PE Conjugate) recognizes endogenous levels of total ALDH1A1 Specificity / Sensitivity Monoclonal antibody is produced by immunizing animals with a synthetic peptide corresponding to Source / Purification residues near the carboxy terminus of human ALDH1A1 protein.

Product Description This Cell Signaling Technology antibody is conjugated to phycoerythrin (PE) and tested in-house for direct

flow cytometry analysis in human cells. This antibody is expected to exhibit the same species cross-

reactivity as the unconjugated ALDH1A1 (D9Q8E) XP® Rabbit mAb #54135.

Background The aldehyde dehydrogenase family is a large group of enzymes that oxidize aldehydes formed through

metabolic processes to their carboxylic acids (1). ALDH1A1 is a liver cytosolic isoform of acetaldehyde dehydrogenase and is involved in the major pathway of alcohol metabolism along with alcohol dehydrogenase (2). ALDH1A1 is also known as retinal dehydrogenase 1 and is involved in retinol metabolism, converting retinol to retinoic acid (3). Recent studies suggest that control of retinoid signaling through ALDH1A1 may influence hematopoietic stem cell differentiation (4). There has been recent interest in ALDH1 isoforms as predictive biomarkers in disease. Several studies have suggested that ALDH1A1 is a potential marker for cancer stem cells and chemoresistance in several tumor types, such as melanoma

(5), lung cancer (6), and glioblastoma (7).

Background References 1. Jackson, B. et al. (2011) *Hum Genomics* 5, 283-303.

2. Edenberg, H.J. (2007) *Alcohol Res Health* 30, 5-13.

3. Duester, G. (2000) Eur J Biochem 267, 4315-24.

4. Chute, J.P. et al. (2006) Proc Natl Acad Sci U S A 103, 11707-12.

5. Luo, Y. et al. (2012) Stem Cells 30, 2100-13.

6. Huang, C.P. et al. (2013) Cancer Lett 328, 144-51.

7. Schäfer, A. et al. (2012) Neuro Oncol 14, 1452-64.

Species Reactivity Species reactivity is determined by testing in at least one approved application (e.g., western blot).

Applications Key FC-FP: Flow Cytometry (Fixed/Permeabilized)

Cross-Reactivity Key H: human M: mouse R: rat Hm: hamster Mk: monkey Vir: virus Mi: mink C: chicken Dm: D. melanogaster

X: Xenopus Z: zebrafish B: bovine Dg: dog Pg: pig Sc: S. cerevisiae Ce: C. elegans Hr: horse

GP: Guinea Pig Rab: rabbit All: all species expected

Trademarks andCell Signaling Technology is a trademark of Cell Signaling Technology, Inc.
XP is a registered trademark of Cell Signaling Technology, Inc.

All other trademarks are the property of their respective owners. Visit cellsignal.com/trademarks for more

information.

Limited Uses Except as otherwise expressly agreed in a writing signed by a legally authorized representative of CST, the

following terms apply to Products provided by CST, its affiliates or its distributors. Any Customer's terms and conditions that are in addition to, or different from, those contained herein, unless separately accepted in

writing by a legally authorized representative of CST, are rejected and are of no force or effect.

Products are labeled with For Research Use Only or a similar labeling statement and have not been approved, cleared, or licensed by the FDA or other regulatory foreign or domestic entity, for any purpose. Customer shall not use any Product for any diagnostic or therapeutic purpose, or otherwise in any manner that conflicts with its labeling statement. Products sold or licensed by CST are provided for Customer as the end-user and solely for research and development uses. Any use of Product for diagnostic, prophylactic or therapeutic purposes, or any purchase of Product for resale (alone or as a component) or other commercial purpose, requires a separate license from CST. Customer shall (a) not sell, license, loan, donate or otherwise transfer or make available any Product to any third party, whether alone or in combination with other materials, or use the Products to manufacture any commercial products, (b) not copy, modify, reverse engineer, decompile, disassemble or otherwise attempt to discover the underlying structure or technology of the Products, or use the Products for the purpose of developing any products or services that would compete with CST products or services, (c) not alter or remove from the Products any trademarks, trade names, logos, patent or copyright notices or markings, (d) use the Products solely in accordance with CST Product Terms of Sale and any applicable documentation, and (e) comply with any license, terms of service or similar agreement with respect to any third party products or services used by Customer in connection with the Products.