

#45844 Store at -20C

CRYAB (D6S9E) Rabbit mAb**Cell Signaling**
TECHNOLOGY®**Orders:** 877-616-CELL (2355)
orders@cellsignal.com**Support:** 877-678-TECH (8324)**Web:** info@cellsignal.com
cellsignal.com

3 Trask Lane | Danvers | Massachusetts | 01923 | USA

For Research Use Only. Not for Use in Diagnostic Procedures.

Applications:	Reactivity:	Sensitivity:	MW (kDa):	Source/Isotype:	UniProt ID:	Entrez-Gene Id:
WB, IP	H M R	Endogenous	22	Rabbit IgG	#P02511	1410

Product Usage Information**Application**Western Blotting
Immunoprecipitation**Dilution**1:1000
1:50**Storage**

Supplied in 10 mM sodium HEPES (pH 7.5), 150 mM NaCl, 100 µg/ml BSA, 50% glycerol and less than 0.02% sodium azide. Store at -20°C. Do not aliquot the antibody.

Specificity / Sensitivity

CRYAB (D6S9E) Rabbit mAb recognizes endogenous levels of total CRYAB protein.

Source / Purification

Monoclonal antibody is produced by immunizing animals with a synthetic peptide corresponding to residues surrounding Glu165 of human CRYAB protein.

Background

CRYAB (αB-Crystallin) is a member of the small heat shock protein (sHSP also known as HSP20) family (1). This protein was initially found to be overexpressed in the eye lens, and later also detected at high levels in heart and skeletal muscle tissues (2,3). CRYAB functions mainly as a molecular chaperone, responding to stress by binding unfolded target proteins to prevent aggregation (4,5). Research studies have shown that elevated expression of CRYAB in neurological disease and stroke patients protects tissue and cells from damage under extreme stress, leading to the investigation of CRYAB as a potential therapeutic target (6-9). Researchers also found that expression of the missense mutation of CRYAB (R120G) in the mouse model causes cardiomyopathy due to abnormal desmin aggregation (10). At the molecular level, CRYAB is involved in multiple biological processes, such as inhibiting apoptosis by binding and inhibiting caspase and proapoptotic Bax and Bcl-xS protein functions (11,12), promoting angiogenesis by binding and stabilizing VEGF for secretion (13), and regulating cytoskeletal organization through association with actin filament, intermediate filament, and cardiac titin (14-16).

Background References

1. Mehlen, P. et al. (1996) *EMBO J* 15, 2695-706.
2. Piatigorsky, J. (1989) *FASEB J* 3, 1933-40.
3. Bennardini, F. et al. (1992) *Circ Res* 71, 288-94.
4. Benjamin, I.J. and McMillan, D.R. (1998) *Circ Res* 83, 117-32.
5. Horwitz, J. (1992) *Proc Natl Acad Sci U S A* 89, 10449-53.
6. Ousman, S.S. et al. (2007) *Nature* 448, 474-9.
7. Ray, P.S. et al. (2001) *FASEB J* 15, 393-402.
8. Arac, A. et al. (2011) *Proc Natl Acad Sci U S A* 108, 13287-92.
9. Sanbe, A. (2011) *Biol Pharm Bull* 34, 1653-8.
10. Wang, X. et al. (2001) *Circ Res* 89, 84-91.
11. Kamradt, M.C. et al. (2001) *J Biol Chem* 276, 16059-63.
12. Mao, Y.W. et al. (2004) *Cell Death Differ* 11, 512-26.
13. Kase, S. et al. (2010) *Blood* 115, 3398-406.
14. Wang, K. and Spector, A. (1996) *Eur J Biochem* 242, 56-66.
15. Nicholl, I.D. and Quinlan, R.A. (1994) *EMBO J* 13, 945-53.
16. Zhu, Y. et al. (2009) *J Biol Chem* 284, 13914-23.

Species Reactivity

Species reactivity is determined by testing in at least one approved application (e.g., western blot).

Western Blot Buffer

IMPORTANT: For western blots, incubate membrane with diluted primary antibody in 5% w/v BSA, 1X TBS, 0.1% Tween® 20 at 4°C with gentle shaking, overnight.

Applications Key**WB:** Western Blotting **IP:** Immunoprecipitation**Cross-Reactivity Key**

H: human **M:** mouse **R:** rat **Hm:** hamster **Mk:** monkey **Vir:** virus **Mi:** mink **C:** chicken **Dm:** D. melanogaster
X: Xenopus **Z:** zebrafish **B:** bovine **Dg:** dog **Pg:** pig **Sc:** S. cerevisiae **Ce:** C. elegans **Hr:** horse
GP: Guinea Pig **Rab:** rabbit **All:** all species expected

Trademarks and Patents

Cell Signaling Technology is a trademark of Cell Signaling Technology, Inc.

XP is a registered trademark of Cell Signaling Technology, Inc.

All other trademarks are the property of their respective owners. Visit cellsignal.com/trademarks for more information.

Limited Uses

Except as otherwise expressly agreed in a writing signed by a legally authorized representative of CST, the following terms apply to Products provided by CST, its affiliates or its distributors. Any Customer's terms and conditions that are in addition to, or different from, those contained herein, unless separately accepted in writing by a legally authorized representative of CST, are rejected and are of no force or effect.

Products are labeled with For Research Use Only or a similar labeling statement and have not been approved, cleared, or licensed by the FDA or other regulatory foreign or domestic entity, for any purpose. Customer shall not use any Product for any diagnostic or therapeutic purpose, or otherwise in any manner that conflicts with its labeling statement. Products sold or licensed by CST are provided for Customer as the end-user and solely for research and development uses. Any use of Product for diagnostic, prophylactic or therapeutic purposes, or any purchase of Product for resale (alone or as a component) or other commercial purpose, requires a separate license from CST. Customer shall (a) not sell, license, loan, donate or otherwise transfer or make available any Product to any third party, whether alone or in combination with other materials, or use the Products to manufacture any commercial products, (b) not copy, modify, reverse engineer, decompile, disassemble or otherwise attempt to discover the underlying structure or technology of the Products, or use the Products for the purpose of developing any products or services that would compete with CST products or services, (c) not alter or remove from the Products any trademarks, trade names, logos, patent or copyright notices or markings, (d) use the Products solely in accordance with CST Product Terms of Sale and any applicable documentation, and (e) comply with any license, terms of service or similar agreement with respect to any third party products or services used by Customer in connection with the Products.