

Safety Data Sheet (SDS) According to the OSHA Hazard Communication Standard 29 CFR 1910.1200

SECTION 1. Identification

Product identifier

Product number 20432

Product name PTMScan® Phospho-Enrichment IMAC Fe-NTA Magnetic Beads

Recommended use of the chemical and restrictions on use

Identified usesThis product is intended for research purposes only.

Uses advised againstThis product is not intended for use in diagnostic procedures or therapeutics.

This product is not intended for use in humans or animals.

Manufacturer, importer, supplier

Manufacturer address Cell Signaling Technology, Inc.

3 Trask Lane Danvers, MA 01923 United States

TEL: +1 978 867 2300 FAX: +1 978 867 2400 www.cellsignal.com

Website www.cellsignal.com Email address support@cellsignal.com

Emergency telephone number In case of emergency call CHEMTREC 1-800-424-9300

SECTION 2. Hazard(s) identification

Classification

This substance/mixture is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids Category 3

GHS Label elements, including precautionary statements



Signal Word Warning

Hazard statement(s)

Flammable liquid and vapor.

.

Precautionary Statement(s)

Wear protective gloves/protective clothing/eye protection/face protection. Keep away from heat/sparks/open flames/hot surfaces.

Revision Date: 2016-08-05

— No smoking. Keep container tightly closed. Ground/Bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

In case of fire: Use CO2, dry chemical, or foam for extinction.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container to an approved waste disposal plant.

Supplementary Hazard Information

No information available.

Hazards not otherwise classified (HNOC)

Not applicable.

SECTION 3. Composition/information on ingredients

Chemical Name	CAS No	Weight %
ethanol	64-17-5	10- <=24
Fe-NTA MagBeads, Fe-NTA Agarose	NONE	0.1 - <=2.5

SECTION 4. First-aid measures

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Get medical attention if irritation persists.

Skin contactWash skin with soap and water. Get medical attention if irritation develops and persists.

Inhalation

Wash skin with soap and water. Get medical attention if irritation develops and persists.

IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.

Get medical attention immediately if symptoms occur.

Ingestion Clean mouth with water and afterwards drink plenty of water. Do NOT induce vomiting. Get

medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Advice for emergency responders

General advice For further assistance, contact your local Poison Control Center.

Protection of first-aiders Ensure that medical personnel are aware of the material(s) involved, and take precautions

to protect themselves.

SECTION 5. Fire-fighting measures

Extinguishing media

Suitable Extinguishing Media Carbon dioxide (CO₂). Dry chemical. Alcohol-resistant foam.

Unsuitable Extinguishing Media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

Flammable.

Explosion Data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Evacuate personnel to safe areas. Ensure adequate ventilation. Remove all sources of For non-emergency personnel

ignition. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Use personal protective equipment.

Revision Date: 2016-08-05

Other information No information available.

Environmental precautions

Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

Methods and material for containment and cleaning up

Methods for containment Methods for cleaning up

Prevent further leakage or spillage if safe to do so.

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Pick up and transfer to properly labeled containers. Clean contaminated surface

thoroughly.

SECTION 7. Handling and storage

Precautions for safe handling

Avoid contact with skin, eyes and clothing. Do not breathe vapors or spray mist. Wear personal protective equipment. Remove and wash contaminated clothing before re-use. Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharges. Use only in an area containing flame proof equipment.

Conditions for safe storage, including any incompatibilities

Technical measures/Storage

Keep container tightly closed in a dry and well-ventilated place. Keep away from open

conditions

flames, hot surfaces and sources of ignition. No information available.

Packaging material Incompatible products

None known based on information supplied.

SECTION 8. Exposure controls/personal protection

Control parameters

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH REL
ethanol	STEL 1000 ppm	TWA: 1000 ppm	IDLH : 3300 ppm
		TWA: 1900 mg/m ³	TWA: 1000 ppm TWA: 1900 mg/m ³

Appropriate engineering controls

Showers, eyewash stations, and ventilation systems.

Individual protection measures, such as personal protective equipment

beaus

Personal protective equipment (PPE) needs to be selected depending on the implemented engineering controls,

frequency/duration of work activities and the concentrations of the hazardous substance.

Eye/face protection If splashes are likely to occur, wear:. Tightly fitting safety goggles.

Skin and body protection Wear protective gloves/clothing. Chemical resistant apron. Lightweight protective clothing.

Antistatic boots.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

Revision Date: 2016-08-05

provided in accordance with current local regulations.

Hygiene measures Handle in accordance with good industrial hygiene and safety practice. Keep away from

food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Provide regular cleaning of equipment, work area and clothing. Wash hands before breaks

and immediately after handling the product.

SECTION 9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state Liquid

Appearance Suspension Color Clear

Odor Characteristic Odor Threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks Method</u>

pH 6.5 @ 20 °C

Melting point/freezing point Initial boiling point and boiling

range

Flash point approx. 36 (23 - <=60) °C (based on

components)

Evaporation rate No information available Flammability (solid, gas) No information available

Upper flammability limit

Upper flammability limit 15.0% Lower flammability limit 3.5%

Vapor pressure 59 hPa 44 mmHg

Vapor densityNo information availableRelative densityNo information available

Solubility dispersible

Solubility in other solvents No information available.

Partition coefficient: n-octanol/waterNo information available

Autoignition temperature 425 °C

Decomposition temperature
Viscosity
Viscosity, dynamic
Explosive properties

Oxidizing properties

No information available
No information available
No information available
No information available

Other information

Softening point
Molecular Weight
VOC content
Density
No information available
No information available
No information available
No information available.
No information available.
No information available.

SECTION 10. Stability and reactivity

Reactivity

No information available.

Revision Date: 2016-08-05

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

Hazardous reactionsNone under normal processing.
Hazardous polymerization
None under normal processing.

Conditions to Avoid

Heat, flames and sparks. Extremes of temperature and direct sunlight.

Incompatible Materials

None known based on information supplied.

Hazardous Decomposition Products

None known based on information supplied.

SECTION 11. Toxicological information

Information on likely routes of exposure

Inhalation There is no data available for this product. Avoid breathing vapors or mists. Vapours may

irritate throat and respiratory system.

Eye contact There is no data available for this product. Avoid contact with eyes. Contact with eyes may

cause irritation.

Skin contact There is no data available for this product. Avoid contact with skin. Prolonged or repeated

contact may dry skin and cause irritation.

Ingestion There is no data available for this product. Ingestion may cause gastrointestinal irritation,

nausea, vomiting and diarrhea. May cause central nervous system depression.

Information on toxicological effects

This material should only be handled by, or under the close supervision of, those properly qualified in the handling and use of potentially hazardous chemicals. It should be borne in mind that the toxocological and physiological properties of this compound is not well defined.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
ethanol	7060 (Rat)	=	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Symptoms Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

Sensitization No information available.

Mutagenic effects No information available.

Carcinogenicity Contains no ingredient listed as a carcinogen. Ethanol has been shown to be carcinogenic

in long-term studies only when consumed as alcoholic beverage. Contains a suspected carcinogen. However, this component is not at a concentration considered for classification.

Based on available data, the classification criteria are not met.

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
Neurological effects
Aspiration Hazard
No information available.
No information available.
No information available.
No information available.

SECTION 12. Ecological information

Ecotoxicity

Harmful to aquatic life

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
ethanol	-	LC50 100 mg/L (Pimephales promelas) 96 h LC50 13400 - 15100 mg/L (Pimephales promelas) 96 h LC50 12.0 - 16.0 mL/L (Oncorhynchus mykiss) 96 h	

Revision Date: 2016-08-05

Persistence and degradability No information available. No information available. **Bioaccumulation** No information available **Mobility**

Chemical Name	Octanol-Water Partition Coefficient
ethanol	-0.32

Other adverse effects

No information available.

SECTION 13. Disposal considerations

Waste Disposal Methods

Dispose of in accordance with all applicable national environmental laws and regulations.

Disposal considerations

Do not empty into drains; dispose of this material and its container in a safe way.

SECTION 14. Transport information

This material is not subject to regulation as a hazardous material for shipping.

SECTION 15. Regulatory information

North American Inventory Listing

Chemical Name	TSCA 8(b)	TSCA 12(b)	DSL	NDSL
ethanol	Listed	Not Listed	Listed	Not Listed

Canadian Workplace Hazardous Materials Information System (WHMIS) Classification

⊗	Class B2 - Flammable Liquids
----------	------------------------------

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard No **Chronic Health Hazard** No **Fire Hazard** Yes Sudden Release of Pressure Hazard No

Reactive Hazard No

Revision Date: 2016-08-05

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

California Proposition 65

Ethyl alcohol is only a considered a Proposition 65 developmental hazard when it is ingested as an alcoholic beverage.

Chemical Name California Prop. 65		
ethanol	Carcinogen	
	Developmental	

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
ethanol	Listed	Listed	Listed

U.S. FIFRA Label Information

This product does not contain any substances regulated as pesticides.

US Commerce Department - Export Administration Regulations Information

This product does not contain any substances regulated under the Chemical Weapons Convention (CWC).

U.S. Drug Enforcement Administration Information

This product does not contain any substances regulated under the DEA.

SECTION 16. Other information

Revision Date: 2016-08-05

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet