#20648 Store at -20C

## IQGAP1 (D8K4X) XP® Rabbit mAb



Orders: 8

877-616-CELL (2355) orders@cellsignal.com

Support:

877-678-TECH (8324)

Web:

info@cellsignal.com cellsignal.com

3 Trask Lane | Danvers | Massachusetts | 01923 | USA

For Research Use Only. Not for Use in Diagnostic Procedures.

<b>Applications:</b> WB, IHC-P, IF-IC	Reactivity: H M R Mk	<b>Sensitivity:</b> Endogenous	<b>MW (kDa):</b> 195	Source/Isotype: Rabbit IgG	UniProt ID: #P46940	Entrez-Gene Id 8826
Product Usage Information	Application					Dilution
	Western Blotting					1:1000
	Immunohistochemistry (Paraffin)					1:800
	Immunofluorescence (Immunocytochemistry)					1:200
Storage	Supplied in 10 mM sodium HEPES (pH 7.5), 150 mM NaCl, 100 $\mu$ g/ml BSA, 50% glycerol and less than 0.02% sodium azide. Store at $-20^{\circ}$ C. Do not aliquot the antibody.					

Specificity / Sensitivity

IQGAP1 (D8K4X) XP® Rabbit mAb recognizes endogenous levels of total IQGAP1 protein.

Source / Purification

Monoclonal antibody is produced by immunizing animals with a synthetic peptide corresponding to residues near the amino terminus of human IQGAP1 protein.

**Background** 

IQGAPs are scaffolding proteins involved in mediating cytoskeletal function. They contain multiple protein interaction domains and bind to a growing number of molecules including actin, myosin light chain, calmodulin, E-cadherin, and β-catenin (reviewed in 1). Through their GAP-related domains, they bind the small GTPases Rac1 and cdc42. IQGAPs lack GAP activity, however, and regulate small GTPases by stabilizing their GTP-bound (active) forms (2,3). Research studies have shown that the function and distribution of the IQGAP proteins widely vary. IQGAP1 is ubiquitously expressed and has been found to interact with APC (4) and the CLIP170 complex (5) in response to small GTPases, promoting cell polarization and migration. Additional research studies have suggested that IQGAP1 could play a part in the invasiveness of some cancers (6-8). IQGAP2, which is about 60% identical to IQGAP1, is expressed primarily in liver (3), but lower levels have been detected in the prostate, kidney, thyroid, stomach, and testis (9,10). Research studies have shown that IQGAP2 displays tumor suppressor properties (7). Less is known about the function of IQGAP3, but this protein is present in the lung, brain, small intestine, and testis (9) and is only expressed in proliferating cells (11), suggesting a role in cell growth and division.

## **Background References**

- 1. Briggs, M.W. and Sacks, D.B. (2003) EMBO Rep 4, 571-4.
- 2. Ho, Y.D. et al. (1999) J Biol Chem 274, 464-70.
- 3. Brill, S. et al. (1996) Mol Cell Biol 16, 4869-78.
- 4. Watanabe, T. et al. (2004) Dev Cell 7, 871-83.
- 5. Fukata, M. et al. (2002) Cell 109, 873-85.
- 6. Chew, C.S. et al. (2005) Am J Physiol Gastrointest Liver Physiol 288, G376-87.
- 7. Jin, S.H. et al. (2008) Int J Cancer 122, 1040-6.
- 8. Liu, Z. et al. (2010) Clin Cancer Res 16, 6009-18.
- 9. Wang, S. et al. (2007) J Cell Sci 120, 567-77.
- 10. Schmidt, V.A. et al. (2003) Blood 101, 3021-8.
- 11. Nojima, H. et al. (2008) Nat Cell Biol 10, 971-8.

**Species Reactivity** 

Species reactivity is determined by testing in at least one approved application (e.g., western blot).

**Western Blot Buffer** 

IMPORTANT: For western blots, incubate membrane with diluted primary antibody in 5% w/v BSA, 1X TBS, 0.1% Tween® 20 at 4°C with gentle shaking, overnight.

**Applications Key** 

WB: Western Blotting IHC-P: Immunohistochemistry (Paraffin)

**IF-IC:** Immunofluorescence (Immunocytochemistry)

**Cross-Reactivity Key** 

IQGAP1 (D8K4X) XP® Rabbit mAb (#20648) Datasheet Without Images Cell Signaling Technology

H: human M: mouse R: rat Hm: hamster Mk: monkey Vir: virus Mi: mink C: chicken Dm: D. melanogaster X: Xenopus Z: zebrafish B: bovine Dg: dog Pg: pig Sc: S. cerevisiae Ce: C. elegans Hr: horse

GP: Guinea Pig Rab: rabbit All: all species expected

## Trademarks and Patents

Cell Signaling Technology is a trademark of Cell Signaling Technology, Inc. SignalStain is a registered trademark of Cell Signaling Technology, Inc. XP is a registered trademark of Cell Signaling Technology, Inc.

All other trademarks are the property of their respective owners. Visit cellsignal.com/trademarks for more information.

## **Limited Uses**

Except as otherwise expressly agreed in a writing signed by a legally authorized representative of CST, the following terms apply to Products provided by CST, its affiliates or its distributors. Any Customer's terms and conditions that are in addition to, or different from, those contained herein, unless separately accepted in writing by a legally authorized representative of CST, are rejected and are of no force or effect.

Products are labeled with For Research Use Only or a similar labeling statement and have not been approved, cleared, or licensed by the FDA or other regulatory foreign or domestic entity, for any purpose. Customer shall not use any Product for any diagnostic or therapeutic purpose, or otherwise in any manner that conflicts with its labeling statement. Products sold or licensed by CST are provided for Customer as the end-user and solely for research and development uses. Any use of Product for diagnostic, prophylactic or therapeutic purposes, or any purchase of Product for resale (alone or as a component) or other commercial purpose, requires a separate license from CST. Customer shall (a) not sell, license, loan, donate or otherwise transfer or make available any Product to any third party, whether alone or in combination with other materials, or use the Products to manufacture any commercial products, (b) not copy, modify, reverse engineer, decompile, disassemble or otherwise attempt to discover the underlying structure or technology of the Products, or use the Products for the purpose of developing any products or services that would compete with CST products or services, (c) not alter or remove from the Products any trademarks. trade names, logos, patent or copyright notices or markings, (d) use the Products solely in accordance with CST Product Terms of Sale and any applicable documentation, and (e) comply with any license, terms of service or similar agreement with respect to any third party products or services used by Customer in connection with the Products.