

About the Technology

1. Carl T. Wittwer High-Resolution DNA Melting Analysis: Advancements and Limitations HUMAN MUTATION, Vol. 30, No. 6, 857–859, 2009
2. Rolf H.A.M. Vossen, Emmelien Aten, Anja Roos, and Johan T. den Dunnen High-Resolution Melting Analysis (HRMA)—More Than Just Sequence Variant Screening HUMAN MUTATION, Vol. 30, No. 6, 860–866, 2009
3. Elizabeth A. Tindall, Desiree C. Petersen, Paula Woodbridge, Katharina Schipany, and Vanessa M. Hayes Assessing High-Resolution Melt Curve Analysis for Accurate Detection of Gene Variants in Complex DNA Fragments HUMAN MUTATION, Vol. 30, No. 6, 876–883, 2009
4. Elaine Lyon and Carl T. Wittwer LightCycler Technology in Molecular Diagnostics *Journal of Molecular Diagnostics*, Vol. 11, No. 2, March 2009
5. Steven F. Dobrowolski, Jesse Gray, Trent Miller, and Mitch Sears Identifying Sequence Variants in the Human Mitochondrial Genome Using High-Resolution Melt (HRM) Profiling HUMAN MUTATION, Vol. 30, No. 6, 891–898, 2009
6. Samuel Yang, Padmini Ramachandran, Richard Rothman, Yu-Hsiang Hsieh, Andrew Hardick, Helen Won, Aleksandar Kecojevic Joany Jackman, and Charlotte Gaydos Rapid Identification of Biothreat and Other Clinically Relevant Bacterial Species by Use of Universal PCR Coupled with High-Resolution Melting Analysis JOURNAL OF CLINICAL MICROBIOLOGY, July 2009, p. 2252–2255
7. Michael T. Seipp, Jacob D. Durtschi, Karl V. Voelkerding, and Carl T. Wittwer Multiplex Amplicon Genotyping by High-Resolution Melting *Journal of Biomolecular Techniques* 20:160–164
8. Claire F. Taylor Mutation scanning using high-resolution melting *Biochem. Soc. Trans.* (2009) 37, 433–437; doi:10.1042/BST0370433
9. Tu' Nguyen-Dumont et al. Description and Validation of High-Throughput Simultaneous Genotyping and Mutation Scanning by High-Resolution Melting Curve Analysis HUMAN MUTATION, Vol. 30, No. 6, 884–890, 2009
10. Michael H. Cho, Dawn Ciulla, Barbara J. Klanderman, Benjamin A. Raby, and Edwin K. Silverman High-Resolution Melting Curve Analysis of Genomic and Whole-Genome Amplified DNA *Clinical Chemistry* 54:12 2055–2058 (2008)
11. Gundry CN, Dobrowolski SF, Martin YR, Robbins TC, Nay LM, Boyd N, Coyne T, Wall MD, Wittwer CT, Teng DH. Base-pair neutral homozygotes can be discriminated by calibrated high-resolution melting of small amplicons. *Nucleic Acids Res.* 2008 Jun;36(10):3401-8. Epub 2008 Apr 29.
12. Pont-Kingdon G, Margraf RL, Sumner K, Millson A, Lyon E, Schütz E. Design and application of noncontinuously binding probes used for haplotyping and genotyping. *Clin Chem.* 2008 Jun;54(6):990-9. Epub 2008 Apr 10.

Hi-Res Melting™ References

Updated: 11/13/09

13. Gundry CN, McKinney JT. Small amplicon genotyping using internal temperature calibration and high resolution-melting. *Biotechniques*. 2008 Apr;44(4):577-8.
14. Herrmann MG, Durtschi JD, Bromley LK, Wittwer CT, Voelkerding KV. Expanded instrument comparison of amplicon DNA melting analysis for mutation scanning and genotyping. *Clin Chem*. 2007. 53(8):1544-8.
15. Laurie AD, Smith MP, George PM. Detection of Factor VIII gene mutations by high-resolution melting analysis. *Clin Chem*. 2007. Sept 27 [Epub ahead of print].
16. Vandersteen JG, Bayrak-Toydemir P, Palais RA, Wittwer CT. Identifying common genetic variants by high-resolution melting. *Clin Chem*. 2007. May 24th [Epub ahead of print].
17. Reed GH, Kent JO, Wittwer CT. High-resolution DNA melting analysis for simple and efficient molecular diagnostics. *Pharmacogenomics*. 2007. 8(6): in press.
18. Margraf RL, Mao R, Wittwer CT. Masking selected sequence variation by incorporating mismatches into melting analysis probes. *Human Mut*. 2006. Jan 12 [Epub ahead of print].
19. Herrmann MG, Durtschi JD, Bromley LK, Wittwer CT, Voelkerding KV. Amplicon DNA melting analysis for mutation scanning and genotyping: cross-platform comparison of instruments and dyes. *Clin Chem*. 2006. 52(3): 494-503. Comment in *Clin Chem*. 2007. 53(1):150-2.
20. Graham, R., Liew, M., Meadows, C., Lyon, E. and Wittwer, C. T. Distinguishing different DNA heterozygotes by high-resolution melting. *Clin Chem*. 2005. 51(7): 1295-8.
21. Zhou, L., Wang, L., Palais, R., Pryor, R. and Wittwer, C. T. High-Resolution DNA melting analysis for simultaneous mutation scanning and genotyping in solution. *Clin Chem*. 2005. 51(10): 1770
22. Palais, R.A., Liew, M., and Wittwer, C.T. Quantitative heteroduplex analysis for single nucleotide polymorphism genotyping. *Anal Biochem*. 2005. 346(1): 167-75. Epub 2005 Aug 31.
23. Chou LS, Meadows C, Wittwer CT, Lyon E. Unlabeled oligonucleotide probes modified with locked nucleic acids for genotyping by melting analysis. *BioTechniques*. 2005. 39(5): 644, 646, 648.
24. Liew M, Pryor R, Palais R, Meadows C, Erali M, Lyon E, Wittwer C. Genotyping of single-nucleotide polymorphisms by high-resolution melting of small amplicons. *Clin Chem*. 2004. 50(7): 1156-64.
25. Zhou L, Myers AN, Vandersteen JG, Wang L, Wittwer CT. Closed-tube genotyping with unlabeled oligonucleotide probes and a saturating DNA dye. *Clin Chem*. 2004. 50(8): 1328-35. Epub 2004 May 27.
26. Reed GH, Wittwer CT. Sensitivity and specificity of single-nucleotide polymorphism scanning by high-resolution melting analysis. *Clin Chem*. 2004. 50(10):1748-54. Epub 2004 Aug 12.

27. Wittwer CT, Reed GH, Gundry CN, Vandersteen JG, Pryor RJ. High-resolution genotyping by amplicon melting analysis using LCGreen. *Clin Chem.* 2003. 49(6 Pt 1):853-60.

Applications

1. Nienke van der Stoep et al Diagnostic Guidelines for High-Resolution Melting Curve (HRM) Analysis: An Interlaboratory Validation of BRCA1 Mutation Scanning Using the 96-Well LightScanner™ HUMAN MUTATION, Vol. 30, No. 6, 899–909, 2009
2. Christa Meisinger et al A Genome-wide Association Study Identifies Three Loci Associated with Mean Platelet Volume *The American Journal of Human Genetics* 84, 66–71, January 9, 2009
3. Sonia Garritano, Federica Gemignani, Catherine Voegelé², Tú Nguyen-Dumont², Florence Le Calvez-Kelm, Deepika De Silva, Fabienne Lesueur, Stefano Landi and Sean V Tavtigian Determining the effectiveness of High Resolution Melting analysis for SNP genotyping and mutation scanning at the *TP53* locus *BMC Genetics* 2009, 10:5 doi:10.1186/1471-2156-10-5
4. B. L. SMITH, C.-P. LU and J. R. ALVARADO BREMER High-resolution melting analysis (HRMA): a highly sensitive inexpensive genotyping alternative for population studies *Molecular Ecology Resources* (2009) doi: 10.1111/j.1755-0998.2009.02726.x
5. Bruno Studer, Louise Bach, Jensen Alice Fiil, Torben Asp “Blind” mapping of genic DNA sequence polymorphisms in *Lolium perenne* L. by high resolution melting curve Analysis *Molecular Breeding Springer Science Business Media B.V.* 2009
6. Zou H, Taylor W, Harrington J, Hussain FCao X, Loprinzi C, Levine T Rex D, Ahnen D, Knigge K, Lance P, Jiang X, Smith D, Alquist D. High Detection Rates of Colorectal Neoplasia by Stool DNA Testing With a Novel Digital Melt Curve Assay. *Gastroenterology* 2009;136:459–470
7. Marielle Alders Jet Blik, Karin vd Lip, Ruud vd Bogaard and Marcel Mannens Determination of KCNQ1OT1 and H19 methylation levels in BWS and SRS patients using methylation-sensitive high-resolution melting analysis *European Journal of Human Genetics* (2008), 1 – 7
8. Jiazheng Yuan, Muhammad Haroon, David Lightfoot, Yvan Pelletier, Qiang Liu, and Xiu-Qing Li A High-Resolution Melting Approach for Analyzing Allelic Expression Dynamics *Curr. Issues Mol. Biol.* 11 (Suppl. 1) i1–9.
9. Dana Provaznikova, Tereza Kumstyrova, Roman Kotlin, Peter Salaj, Vaclav Matoska, Ingrid Hrachovinova and Simon Rittich. High-resolution melting analysis for detection of MYH0 mutations. *Platelets*, September 2008; 19(6): 471-475
10. Robert Palais and Carl T. Wittwer Mathematical Algorithms for High-Resolution DNA Melting Analysis. *Methods in Enzymology*, Volume 454 2009.

Hi-Res Melting™ References

Updated: 11/13/09

11. Elaine Lyon and Carl T. Wittwer. LightCycler Technology in Molecular Diagnostics, Award Lecture. *Journal of Molecular Diagnostics*, Vol. 11, No. 2, March 2009
12. Maria Erali, Karl V. Voelkerding, Carl T. Wittwer. High resolution melting applications for clinical laboratory medicine. *Exp Mol Pathol*. 2008 Aug;85(1):50-8. Epub 2008 Apr 13.
13. Eduard Mader, Brigitte Lukas and Johannes Novak. A Strategy to Setup Codominant Microsatellite Analysis for High-Resolution-Melting-Curve-Analysis (HRM). *BMC Genetics* 2008, 9:69 doi:10.1186/1471-2156-9-69. 3 November 2008.
14. Hongdo Do, Michael Krypuy, Paul L Mitchell, Stephen B Fox and Alexander Dobrovic. High resolution melting analysis for rapid and sensitive EGFR and KRAS mutation detection in formalin fixed paraffin embedded biopsies. *BMC Cancer* 2008, 8:142 doi:10.1186/1471-2407-8-142. 21 May 2008
15. Michael Krypuy, Genni M Newnham, David M Thomas, Matthew Conron and Alexander Dobrovic. High resolution melting analysis for the rapid and sensitive detection of mutations in clinical samples: KRAS codon 12 and 13 mutations in non-small cell lung cancer. *BMC Cancer* 2006, 6:295 doi:10.1186/1471-2407-6-295. 21 December 2006
16. Maria Erali, Robert Palais, and Carl Wittwer. SNP Genotyping by Unlabeled Probe Melting Analysis. *Experimental and molecular pathology* 2008;85(1):50-8. 2008
17. De Leeneer K, Coene I, Poppe B, De Paepe A, Claes K. Rapid and sensitive detection of BRCA1/2 mutations in a diagnostic setting: comparison of two high-resolution melting platforms. *Clin Chem*. 2008 Jun;54(6):982-9. Epub 2008 Apr 10.
18. Margraf RL, Mao R, Highsmith WE, Holtegaard LM, Wittwer CT. RET proto-oncogene genotyping using unlabeled probes, the masking technique, and amplicon high-resolution melting analysis. *J Mol Diagn*. 2007 Apr;9(2):184-96.
19. Seipp MT, Pattison D, Durtschi JD, Jama M, Voelkerding KV, Wittwer CT. Quadruplex genotyping of F5, F2 and MTHFR variants in a single closed tube by high resolution amplicon melting. *Clin Chem*. 2008. 54(1): 108-15.
20. Montgomery J, Wittwer CT, Kent JO, Zhou L. Scanning the cystic fibrosis transmembrane conductance regulator gene using high-resolution DNA melting analysis. *Clin Chem*. 2007. 53(11):1891-8.
21. Smith GD, Chadwick BE, Willmore-Payne C, Bentz JS. Detection of EGFR gene mutations in cytology specimens from patients with non-small cell lung cancer utilizing high-resolution melting amplicon analysis. *J Clin Pathol*. 2007. Oct 1 [Epub ahead of print].
22. Dobrowolski SE, Ellingson CE, Caldovic L, Tuchman M. Streamlined assessment of gene variants by high resolution melt profiling utilizing the ornithine transcarbamylase gene as a model system. *Hum Mutat*. 2007. 28 (11):1133-40.
23. Gillian Rice, et al. Clinical and Molecular Phenotype of Aicardi-Goutières Syndrome Am. *J. Hum. Genet*. 2007;81:713–725.

Hi-Res Melting™ References

Updated: 11/13/09

24. Holden JA, Willmore-Payne C, Coppola D, Garrett CR, Jayfield LJ. High-resolution melting amplicon analysis as a method to detect c-kit and platelet-derived growth factor receptor alpha activating mutations in gastrointestinal stromal tumors. *Am J Clin Pathology*. 2007. 128(2): 230-238.
25. Liew M, Seipp M, Durtschi J, Margraf RL, Dames S, Erali M, Voelkerding K, Wittwer C. Closed-tube SNP genotyping without labeled probes/a comparison between unlabeled probe and amplicon melting. *Am J Clin Pathol*. 2007. 127(3): 341-8.
26. Poulson MD, Wittwer CT. Closed-tube genotyping of apolipoprotein E by isothermally amplified PCR with multiple unlabeled probes and high-resolution DNA melting analysis. *BioTechniques*. 2007. 43(1):8791.
27. Uemura A, Mori S, Sugahara K, Akamatsu N, Tsuruda K, Tsukasaki K, Hirakata Y, Atogami S, Hasegawa H, Yamada Y, Kamihira S. Rapid and high-resolution detection of IgH gene rearrangements using PCR and melting curve analysis. *Int J Lab Hematol*. 2007. 29(3): 200-7.
28. Montgomery J, Wittwer CT, Palais R, Zhou L. Simultaneous mutation scanning and genotyping by high-resolution DNA melting analysis. *Nat Protoc*. 2007. 2(1): 59-66.
29. Seipp MT, Durtschi JD, Liew MA, Williams J, Damjanovich K, Pont-Kingdon G, Lyon E, Voelkerding KV, Wittwer CT. Unlabeled oligonucleotides as internal temperature controls for genotyping by amplicon melting. *J Mol Diagn*. 2007. 9(3):284-9.
30. Dames S, Margraf RL, Pattison DC, Wittwer CT, Voelkerding KV. Characterization of Aberrant Melting Peaks in Unlabeled Probe Assays. *J Mol Diagn*. 2007. Apr 26 [Epub ahead of print].
31. Singer R, Bellfooy D, Desjardins M, Chan F. High-resolution melting assay for the detection of *gyrA* mutations causing quinolone resistance in *Salmonella enterica* serovars Typhi and Paratyphi. *Diagn Microbiol Infect Dis*. 2007. 57(4): 455-8.
32. Fortini D, Ciammaruconi A, De Santis Riccardo, Antonio F, Raffaele B, Florigio D, Cassone A, Carattoli Optimization of High-Resolution melting analysis for low-cost and rapid screening of allelic variants of *Bacillus anthracis* by multiple-locus variable-number tandem repeat analysis. *Clin Chem*. 2007. May 24th [Epub ahead of print].
33. Kennerson ML, Warburton T, Nelis E, Brewer m, Polly P, De Jonghe P, Timmerman V, Nicholson GA. Mutation scanning the GJB1 gene with High-Resolution melting analysis: Implications for mutation scanning of genes for Charcot-Marie-Tooth Disease. *Clin Chem*. 2007. 53(2): 349-352.
34. Dobrowolski SF, Ellingson C, Coyne T, Grey J, Martin R, Naylor EW, Koch R, Levy HL. Mutations in the phenylalanine hydroxylase gene identified in 95 patients with phenylketonuria using novel systems of mutation scanning and specific genotyping based upon thermal melt profiles. *Molecular Genetics and Metabolism*. 2007. 91: 218–227.
35. Margraf RL, Mao R, Highsmith WE, Holtegaard LM, Wittwer CT. Mutation scanning of the RET protooncogene using high resolution melting analysis. *Clin Chem*. 2006 52: 138-41.



Innovative solutions for pathogen identification and DNA research

390 Wakara Way, Salt Lake City, Utah 84108, U.S.A. | 1-801-736-6354 | www.idahotech.com

Hi-Res Melting™ References

Updated: 11/13/09

36. Liew M, Nelson L, Margraf R, Mitchell S, Erali M, Mao R, Lyon E, Wittwer CT. Genotyping of human platelet antigens 1-6 and 15 by high-resolution amplicon melting and conventional hybridization probes. *J Mol Diag.* 2006. 8: 97-104.
37. Willmore-Payne C, Holden JA, Layfield LJ. Detection of epidermal growth factor receptor and human epidermal growth factor receptor 2 activating mutations in lung adenocarcinoma by high-resolution melting amplicon analysis: correlation with gene copy number, protein expression, and hormone receptor expression. *Hum Pathol.* 2006. 37(6): 755-63.
38. Hill CE, Duncan A, Wirth D, Nolte FS. Detection and Identification of Cytochrome P-450 2C9 Alleles *1, *2, and *3 by High-Resolution Melting Curve Analysis of PCR Amplicons. *Am J Clin Pathol.* 2006. 125: 584-591.
39. Lonie L, Porter DE, Fraser M, Cole T, Wise C, Yates L, Wakeling E, Blair E, Morava E, Monaco AP, Ragoussis J. Determination of the Mutation Spectrum of the EXT1/EXT2 Genes in British Caucasian Patients With Multiple Osteochondromas, and Exclusion of Six Candidate Genes in EXT Negative Cases. *Human Mutation.* 2006. 27 (11): 1160-1172.
40. Nomoto K, Tsuta K, Takano T, Fukui T, Yokozawa K, Sakamoto H, Yoshida T, Maeshima AM, Shibata T, Furut K, Ohe Y, Matsuno Y. Detection of EGFR Mutations in Archived Cytologic Specimens of Non– Small Cell Lung Cancer Using High-Resolution Melting Analysis. *Am J Clin Pathol.* 2006. 126:608-615.
41. Willmore-Payne C, Holden JA, Layfield LJ. Detection of EGFR-and HER2-activating mutations in squamous cell carcinoma involving the head and neck. *Modern Pathology* 2006. 19: 634–640.
42. Odell ID, Cloud JL Seipp M, and Wittwer CT. Rapid species identification within the *Mycobacterium chelonae*-abscessus group by high-resolution melting of hsp65 PCR products. *Am J Clin Path.* 2005. 123(1): 96-101.
43. Dobrowolski SF, McKinney JT, Amat di San Filippo C, Giak Sim K, Wilcken B, Longo N. Validation of dyebinding/high-resolution thermal denaturation for the identification of mutations in the SLC22A5 gene. *Hum Mutat.* 2005. 25(3): 306-13.
44. Willmore-Payne, C., Holden, J. A., Tripp, S. and Layfield, L. J. Human malignant melanoma: Detection of BRAF-and c-kit-activating mutations by high-resolution amplicon melting analysis. *Hum Pathol.* 2005. 36(5): 486-93.
45. Chou, L.-S., Lyon, E. and Wittwer, C. T. A comparison of high-resolution melting analysis to denaturing high performance liquid chromatography for mutation scanning: cystic fibrosis transmembrane conductance regulator gene as a model. *Am J Clin Path.* 2005. 124(3) 330-8.
46. Willmore-Payne C, Layfield LJ, Holden JA. c-KIT Mutation Analysis for Diagnosis of Gastrointestinal Stromal Tumors in Fine Needle Aspiration Specimens. *Cancer.* 2005. 105(3): 165-170.



47. Carlynn Willmore-Payne, Joseph A Holden, Barbara E Chadwick and Lester J Layfield. Detection of c-kit exons 11- and 17-activating mutations in testicular seminomas by high-resolution melting amplicon analysis *Modern Pathology* (2006) 19, 1164–1169
48. McKinney JT, Longo N, Hahn SH, Matern D, Rinaldo P, Strauss AW, Dobrowolski SF. Rapid, comprehensive screening of the human medium chain acyl-CoA dehydrogenase gene. *Mol Genet Metab.* 2004. 82(2):112-20.
49. Willmore C, Holden JA, Zhou L, Tripp S, Wittwer CT, Layfield LJ. Detection of c-kit-activating mutations in gastrointestinal stromal tumors by high-resolution amplicon melting analysis. *Am J Clin Pathol.* 2004. 122(2):206-16.
50. Zhou L, Vandersteen J, Wang L, Fuller T, Taylor M, Palais B, Wittwer CT. High-resolution DNA melting curve analysis to establish HLA genotypic identity. *Tissue Antigens.* 2004. 64(2): 156-64.
51. Vaughn CP, Elenitoba-Johnson KS. High-resolution melting analysis for detection of internal tandem duplications. *J Mol Diagn.* 2004. 6(3): 211-6.

Reviews & Text Book Chapters

1. JT McKinney, L. Nay, D. DeKoeper, G. Reed, M. Wall, R. Palais, R. Jarret, CT Wittwer. Mutation Scanning and Genotyping in Plant by High Resolution DNA Melting, in *The Handbook of Plant Mutation Screening: Mining of Natural and Induced Alleles.* (Eds Kahl and Meksem) Wiley Publishing. In Press (March 2010).
(<http://www.wiley.com/WileyCDA/WileyTitle/productCd-3527326049.html>)
2. Robert Palais and Carl T. Wittwer in *Methods in Enzymology*, Volume 454 Chapter 13 Mathematical Algorithms for High-Resolution DNA Melting Analysis 2009 Elsevier Inc.
3. Robert J. Pryor and Carl T. Wittwer. Real-Time Polymerase Chain Reaction and Melting Curve Analysis. In: *Methods in Molecular Biology* vol. 336 Clinical Applications of PCR, 2nd Ed. (19-32). Humana Press Inc. Totowa NJ
4. Dujols VE, Kusukawa N, McKinney JT, Dobrowolski SF, Wittwer CT: High-resolution melting analysis for scanning and genotyping, In: *Real-Time PCR.* Dorak MT (Ed.), Garland Science, New York, 157-171 (2006).
5. Gingeras TR, Higuchi R, Kricka LJ, Lo YM, Wittwer CT. Fifty Years of Molecular (DNA/RNA) Diagnostics. *Clin Chem.* 2005. Mar; 51(3):661-71.
6. Wittwer, C. T. and Kusukawa, N. Nucleic acid techniques. In: *Tietz Textbook of Clinical Chemistry and Molecular Diagnostics*, 4th edition (Eds, Burtis, C., Ashwood, E. and Bruns, D.). 2005. 1407-1449. Elsevier, New York.
7. Wittwer, C.T. and Kusukawa, N. Molecular Diagnostics Technology. In: *Clinical Diagnostic Technology, The Total Testing Process Vol 2: The Analytical Phase* (Eds, Ward-Cook, K.M., Lehmann, C.A., Schoeff, L.E., and Williams, R.H.). 2005. 341 – 369. AACC Press, Washington, DC.

Hi-Res Melting™ References

Updated: 11/13/09

8. Highsmith WE Jr. SNPs for sale. Cheap! Clin Chem. 2004. Aug; 50(8):1296-8.



Innovative solutions for pathogen identification and DNA research

390 Wakara Way, Salt Lake City, Utah 84108, U.S.A. | 1-801-736-6354 | www.idahotech.com