3/23/24, 10:53 AM Revision 1

-

ରୁ Bcl-w (31H4) Rabbit mAb			
Store	Orders:	877-616-CELL (2355) orders@cellsignal.com	
4	Support:	877-678-TECH (8324)	
#2724	Web:	info@cellsignal.com cellsignal.com	
	3 Trask Lane Danvers Ma	ssachusetts 01923 USA	
For Research Use Only. Not for Use in Diagnostic Procedures.			

Applications: Re WB	eactivity: Sensitivity: H M R Endogenous	MW (kDa): 18	Source/Isotype: Rabbit IgG	UniProt ID: #Q92843	Entrez-Gene Id: 599	
Product Usage Information	Application Western Blotting			Dilution 1:1000		
Storage		Supplied in 10 mM sodium HEPES (pH 7.5), 150 mM NaCl, 100 μg/ml BSA, 50% glycerol and less than 0.02% sodium azide. Store at –20°C. Do not aliquot the antibody.				
Specificity / Sensitivit	y Bcl-w (31H4) Rabbit r	Bcl-w (31H4) Rabbit mAb detects endogenous levels of total Bcl-w protein.				
Source / Purification	-	Monoclonal antibody is produced by immunizing animals with a synthetic peptide corresponding to residues surrounding alanine 39 of Bcl-w.				
Background	domains (BH) that reg of cytochrome c (1-3) The family can be sep members include Bcl- "BH3 only" proteins B and death-suppressin apoptotic and anti-apo by binding to and anta and antagonize the pi system likely exists, ti family members can a The pro-survival prote Bcl-2 family members tissues (6,7). Most tiss	The Bcl-2 family consists of a number of evolutionarily conserved proteins containing Bcl-2 homology domains (BH) that regulate apoptosis through control of mitochondrial membrane permeability and release of cytochrome c (1-3). Four BH domains have been identified (BH1-4) that mediate protein interactions. The family can be separated into three groups based upon function and sequence homology: pro-survival members include Bcl-2, Bcl-xL, Mcl-1, A1 and Bcl-w; pro-apoptotic proteins include Bax, Bak and Bok; and "BH3 only" proteins Bad, Bik, Bid, Puma, Bim, Bmf, Noxa and Hrk. Interactions between death-promoting and death-suppressing Bcl-2 family members has led to a rheostat model in which the ratio of pro-apoptotic and anti-apoptotic proteins controls cell fate (4). Thus, pro-survival members exert their behavior by binding to and antagonizing death-promoting members. In general, the "BH3-only members" can bind to and antagonize the pro-survival proteins leading to increased apoptosis (5). While some redundancy of this system likely exists, tissue specificity, transcriptional and post-translational regulation of many of these family members can account for distinct physiological roles. The pro-survival protein Bcl-w was originally identified in a PCR-based strategy aimed at discovering novel Bcl-2 family members and was found to be expressed in cells of myeloid origin, as well as many other tissues (6,7). Most tissues from <i>bcl-w</i> knockout mice were unaffected, but male mice did show defects in seminiferous tubule organization and spermatogenogenesis (8,9).				
Background Referenc	2. Antonsson, B. and 3. Sharpe, J.C. et al. (4. Korsmeyer, S.J. et 5. Bouillet, P. and Stra 6. Gibson, L. et al. (19 7. O'Reilly, L.A. et al. 8. Print, C.G. et al. (19	 Cory, S. et al. (2003) Oncogene 22, 8590-607. Antonsson, B. and Martinou, J.C. (2000) Exp Cell Res 256, 50-7. Sharpe, J.C. et al. (2004) Biochim Biophys Acta 1644, 107-13. Korsmeyer, S.J. et al. (1993) Semin Cancer Biol 4, 327-32. Bouillet, P. and Strasser, A. (2002) J Cell Sci 115, 1567-74. Gibson, L. et al. (1996) Oncogene 13, 665-75. O'Reilly, L.A. et al. (2001) Cell Death Differ 8, 486-94. Print, C.G. et al. (1998) Proc Natl Acad Sci U S A 95, 12424-31. Ross, A.J. et al. (1998) Nat Genet 18, 251-6. 				
Species Reactivity	Species reactivity is de	Species reactivity is determined by testing in at least one approved application (e.g., western blot).				
Western Blot Buffer			s, incubate membrane with diluted primary antibody in 5% w/v BSA, 1X TBS, entle shaking, overnight.			
Applications Key	WB: Western Blotting	WB: Western Blotting				
Cross-Reactivity Key	X: Xenopus Z: zebrafis	R: rat Hm: hamster Mk: monkey Vir: virus Mi: mink C: chicken Dm: D. melanogaster ish B: bovine Dg: dog Pg: pig Sc: S. cerevisiae Ce: C. elegans Hr: horse				

GP: Guinea Pig Rab: rabbit All: all species expected

Trademarks and Patents

Limited Uses

Bcl-w (31H4) Rabbit mAb (#2724) Datasheet Without Images Cell Signaling Technology

Cell Signaling Technology is a trademark of Cell Signaling Technology, Inc. All other trademarks are the property of their respective owners. Visit cellsignal.com/trademarks for more information.

Except as otherwise expressly agreed in a writing signed by a legally authorized representative of CST, the following terms apply to Products provided by CST, its affiliates or its distributors. Any Customer's terms and conditions that are in addition to, or different from, those contained herein, unless separately accepted in writing by a legally authorized representative of CST, are rejected and are of no force or effect.

Products are labeled with For Research Use Only or a similar labeling statement and have not been approved, cleared, or licensed by the FDA or other regulatory foreign or domestic entity, for any purpose. Customer shall not use any Product for any diagnostic or therapeutic purpose, or otherwise in any manner that conflicts with its labeling statement. Products sold or licensed by CST are provided for Customer as the end-user and solely for research and development uses. Any use of Product for diagnostic, prophylactic or therapeutic purposes, or any purchase of Product for resale (alone or as a component) or other commercial purpose, requires a separate license from CST. Customer shall (a) not sell, license, loan, donate or otherwise transfer or make available any Product to any third party, whether alone or in combination with other materials, or use the Products to manufacture any commercial products, (b) not copy, modify, reverse engineer, decompile, disassemble or otherwise attempt to discover the underlying structure or technology of the Products, or use the Products for the purpose of developing any products or services that would compete with CST products or services, (c) not alter or remove from the Products any trademarks, trade names, logos, patent or copyright notices or markings, (d) use the Products solely in accordance with CST Product Terms of Sale and any applicable documentation, and (e) comply with any license, terms of service or similar agreement with respect to any third party products or services used by Customer in connection with the Products.