e at -20C	ApoA5 (2G1H11) Mouse mAb		Cell Signaling TECHNOLOGY®		
Store		Orders:	877-616-CELL (2355) orders@cellsignal.com		
35		Support:	877-678-TECH (8324)		
#3335		Web:	info@cellsignal.com cellsignal.com		
#		3 Trask Lane Danvers	Massachusetts 01923 USA		

Annlingtions	Desstivity	Consistivity	8 43 67
For Research Use On	ly. Not for Use in	Diagnostic Proc	edures.

Applications: WB, IP	Reactivity: H	Sensitivity: Endogenous	MW (kDa): 41	Source/Isotype: Mouse IgG1	UniProt ID: #Q6Q788	Entrez-Gene Id: 116519	
Product Usage Information		Application			Dilution		
monnation		Western Blotting			1:1000		
•		mmunoprecipitation		`	1:50		
Storage		Supplied in 10 mM sodium HEPES (pH 7.5), 150 mM NaCl, 100 μ g/ml BSA, 50% glycerol and less than 0.02% sodium azide. Store at –20°C. Do not aliquot the antibody.					
Specificity / Sensitivity		ApoA5 (2G1H11) Mouse mAb recognizes endogenous levels of total ApoA5 protein.					
Source / Purification		Monoclonal antibody is produced by immunizing animals with a purified recombinant fragment of ApoA5 protein expressed in <i>E. Coli</i> .					
Background		Apolipoproteins are plasma lipoproteins that function as transporters of lipids and cholesterol in the circulatory system. Chylomicrons are a fundamental class of apolipoproteins containing very low-density lipoproteins (VLDL), intermediate-density lipoproteins (IDL), low-density lipoproteins (LDL), and high-density lipoproteins (HDL) (1,2). Apolipoprotein A5 (ApoA5) is an HDL that plays a role in the maintenance of lipid homeostasis by promoting plasma triglyceride hydrolysis (3,4). Research evidence suggests that ApoA5 may play a role in the early phases of hepatic regeneration (4).					
Background Refere	2. 3.	Kwiterovich, P.O. (200 Hussain, M.M. (2000) Beckstead, J.A. et al. van der Vliet, H.N. et	Atherosclerosis (2003) Biochem	148, 1-15. <i>istry</i> 42, 9416-23.			
Species Reactivity		ecies reactivity is dete	rmined by testing	g in at least one approve	ed application (e.g., w	estern blot).	
Western Blot Buffer		IMPORTANT: For western blots, incubate membrane with diluted primary antibody in 5% w/v BSA, 1X TBS, 0.1% Tween® 20 at 4°C with gentle shaking, overnight.					
Applications Key		WB: Western Blotting IP: Immunoprecipitation					
Cross-Reactivity Ke	X :	H: human M: mouse R: rat Hm: hamster Mk: monkey Vir: virus Mi: mink C: chicken Dm: D. melanogaster X: Xenopus Z: zebrafish B: bovine Dg: dog Pg: pig Sc: S. cerevisiae Ce: C. elegans Hr: horse GP: Guinea Pig Rab: rabbit All: all species expected					
Trademarks and Patents		Cell Signaling Technology is a trademark of Cell Signaling Technology, Inc. All other trademarks are the property of their respective owners. Visit cellsignal.com/trademarks for more information.					
Limited Uses	fol co	Except as otherwise expressly agreed in a writing signed by a legally authorized representative of CST, the following terms apply to Products provided by CST, its affiliates or its distributors. Any Customer's terms and conditions that are in addition to, or different from, those contained herein, unless separately accepted in writing by a legally authorized representative of CST, are rejected and are of no force or effect.					
		Products are labeled with For Research Use Only or a similar labeling statement and have not been approved, cleared, or licensed by the FDA or other regulatory foreign or domestic entity, for any purpose. Customer shall not use any Product for any diagnostic or therapeutic purpose, or otherwise in any manner that conflicts with its labeling statement. Products sold or licensed by CST are provided for Customer as the end-user and solely for research and development uses. Any use of Product for diagnostic, prophylactic or therapeutic purposes, or any purchase of Product for resale (alone or as a component) or other commercial					

ApoA5 (2G1H11) Mouse mAb (#3335) Datasheet Without Images Cell Signaling Technology

purpose, requires a separate license from CST. Customer shall (a) not sell, license, loan, donate or otherwise transfer or make available any Product to any third party, whether alone or in combination with other materials, or use the Products to manufacture any commercial products, (b) not copy, modify, reverse engineer, decompile, disassemble or otherwise attempt to discover the underlying structure or technology of the Products, or use the Products for the purpose of developing any products or services that would compete with CST products or services, (c) not alter or remove from the Products solely in accordance with CST Product Terms of Sale and any applicable documentation, and (e) comply with any license, terms of service or similar agreement with respect to any third party products or services used by Customer in connection with the Products.