+3344 Store at -20C

Jak1 (6G4) Rabbit mAb



Orders: 877-616-CELL (2355)

orders@cellsignal.com

Support: 877-678-TECH (8324)

Web: info@cellsignal.com

cellsignal.com

3 Trask Lane | Danvers | Massachusetts | 01923 | USA

For Research Use Only. Not for Use in Diagnostic Procedures.

Applications: WB, IHC-P	Reactivity: H M R	Sensitivity: Endogenous	MW (kDa): 130	Source/Isotype: Rabbit IgG	UniProt ID: #P23458	Entrez-Gene Id: 3716
Product Usage	Ар	plication		Dilution		
Information	We	stern Blotting		1:1000		
	Imr	munohistochemistry	(Paraffin)	1:100		
Storage	•	Supplied in 10 mM sodium HEPES (pH 7.5), 150 mM NaCl, 100 μ g/ml BSA, 50% glycerol and less than 0.02% sodium azide. Store at -20° C. Do not aliquot the antibody.				
	For	For a carrier free (BSA and azide free) version of this product see product #77692.				
Specificity / Sensitivity		Jak1 (6G4) Rabbit mAb detects endogenous levels of total Jak1 protein. It does not cross react with other Jak family members.				
Species predicted react based on 10 sequence homological contracts are contracted by the contract of the contr	00%	key, Dog, Pig				
Source / Purificat		Monoclonal antibody is produced by immunizing animals with a synthetic peptide corresponding to residues surrounding Ile800 of Jak1.				esponding to
Background	bind beco for s sub:	Members of the Janus family of tyrosine kinases (Jak1, Jak2, Jak3, and Tyk2) are activated by ligands binding to a number of associated cytokine receptors (1). Upon cytokine receptor activation, Jak proteins become autophosphorylated and phosphorylate their associated receptors to provide multiple binding sites for signaling proteins. These associated signaling proteins, such as Stats (2), Shc (3), insulin receptor substrates (4), and focal adhesion kinase (FAK) (5), typically contain SH2 or other phospho-tyrosine-binding domains.				
Background Refe	2. D 3. V 4. A	arnell, J.E. (1997) S anderKuur, J. et al.	Science 277, 1630 (1995) J Biol Che I. (1995) J Biol C	em 270, 7587-93. hem 270, 14685-92.	, 293-322.	

Species Reactivity

Species reactivity is determined by testing in at least one approved application (e.g., western blot).

Western Blot Buffer

IMPORTANT: For western blots, incubate membrane with diluted primary antibody in 5% w/v BSA, 1X TBS, 0.1% Tween® 20 at 4°C with gentle shaking, overnight.

Applications Key

WB: Western Blotting IHC-P: Immunohistochemistry (Paraffin)

Cross-Reactivity Key

H: human M: mouse R: rat Hm: hamster Mk: monkey Vir: virus Mi: mink C: chicken Dm: D. melanogaster X: Xenopus Z: zebrafish B: bovine Dg: dog Pg: pig Sc: S. cerevisiae Ce: C. elegans Hr: horse

A. Action Die Belle rabbit All all process of the state of

GP: Guinea Pig Rab: rabbit All: all species expected

Trademarks and Patents

Cell Signaling Technology is a trademark of Cell Signaling Technology, Inc.

Jak antibodies produced under license (granting certain rights including those under U.S. Patent No.

5,658,791) from Chemicon International, Inc.

All other trademarks are the property of their respective owners. Visit cellsignal.com/trademarks for more information.

3/23/24, 10:58 AM **Limited Uses** Jak1 (6G4) Rabbit mAb (#3344) Datasheet Without Images Cell Signaling Technology

Except as otherwise expressly agreed in a writing signed by a legally authorized representative of CST, the following terms apply to Products provided by CST, its affiliates or its distributors. Any Customer's terms and conditions that are in addition to, or different from, those contained herein, unless separately accepted in writing by a legally authorized representative of CST, are rejected and are of no force or effect.

Products are labeled with For Research Use Only or a similar labeling statement and have not been approved, cleared, or licensed by the FDA or other regulatory foreign or domestic entity, for any purpose. Customer shall not use any Product for any diagnostic or therapeutic purpose, or otherwise in any manner that conflicts with its labeling statement. Products sold or licensed by CST are provided for Customer as the end-user and solely for research and development uses. Any use of Product for diagnostic, prophylactic or therapeutic purposes, or any purchase of Product for resale (alone or as a component) or other commercial purpose, requires a separate license from CST. Customer shall (a) not sell, license, loan, donate or otherwise transfer or make available any Product to any third party, whether alone or in combination with other materials, or use the Products to manufacture any commercial products, (b) not copy, modify, reverse engineer, decompile, disassemble or otherwise attempt to discover the underlying structure or technology of the Products, or use the Products for the purpose of developing any products or services that would compete with CST products or services, (c) not alter or remove from the Products any trademarks, trade names, logos, patent or copyright notices or markings, (d) use the Products solely in accordance with CST Product Terms of Sale and any applicable documentation, and (e) comply with any license, terms of service or similar agreement with respect to any third party products or services used by Customer in connection with the Products.