e at -20C	CDC73 (A264) Antibody		Cell Signaling	
Store		Orders:	877-616-CELL (2355) orders@cellsignal.com	
14		Support:	877-678-TECH (8324)	
#364		Web:	info@cellsignal.com cellsignal.com	
#		3 Trask Lane Danvers Mas	ssachusetts 01923 USA	

Eor Research Lise Only	/ Not for Lise in	Diagnostic Procedures.
FUI RESEAICII USE UIII	. NULIULUSE III	Diagnostic Procedures.

Applications: WB, IP	Reactivity: H M R Mk	Sensitivity: Endogenous	MW (kDa): 60	Source: Rabbit	UniProt ID: #Q6P1J9	Entrez-Gene Id: 79577		
Product Usage Information	We	plication estern Blotting munoprecipitation			Dilution 1:1000 1:50			
Storage	•	Supplied in 10 mM sodium HEPES (pH 7.5), 150 mM NaCl, 100 μ g/ml BSA and 50% glycerol. Store at – 20°C. Do not aliquot the antibody.						
Specificity / Sensi	tivity CD0	CDC73 (A264) Antibody detects endogenous levels of total CDC73 protein.						
Source / Purificati		Polyclonal antibodies are produced by immunizing animals with a synthetic peptide corresponding to residues surrounding Ala264 of human CDC73. Antibodies are purified by peptide affinity chromatography.						
Background	cell tiss (3). Mut	CDC73 (HPRT2) is a putative tumor suppressor protein thought to bind RNA polymerase II to help inhibit cell cycle progression (1,2). Commonly referred to as parafibromin, CDC73 is expressed in endocrine tissues, kidney, heart, and skeletal muscle and is localized to both nuclear and cytoplasmic compartments (3). CDC73 acts as a Wnt signaling regulator as it binds the carboxy-terminal region of β -catenin (4). Mutations in the corresponding gene cause an endocrine disorder known as hyperparathyroidism 2, which is characterized by hypercalcemia, bone resorption, and the development of jaw tumors (5).						
Background Refe	2. S 3. V 4. N	 Rozenblatt-Rosen, O. et al. (2005) <i>Mol Cell Biol</i> 25, 612-20. Shi, X. et al. (1997) <i>Mol Cell Biol</i> 17, 1160-9. Woodard, G.E. et al. (2005) <i>Oncogene</i> 24, 1272-6. Mosimann, C. et al. (2006) <i>Cell</i> 125, 327-41. Bradley, K.J. et al. (2006) <i>Clin Endocrinol (Oxf)</i> 64, 299-306. 						
Species Reactivity	y Spec	cies reactivity is deter	mined by testing i	n at least one appro	ved application (e.g., we	estern blot).		
Western Blot Buff		IMPORTANT: For western blots, incubate membrane with diluted primary antibody in 5% w/v BSA, 1X TBS, 0.1% Tween® 20 at 4°C with gentle shaking, overnight.						
Applications Key	WB	WB: Western Blotting IP: Immunoprecipitation						
Cross-Reactivity I	X: X	H: human M: mouse R: rat Hm: hamster Mk: monkey Vir: virus Mi: mink C: chicken Dm: D. melanogaster X: Xenopus Z: zebrafish B: bovine Dg: dog Pg: pig Sc: S. cerevisiae Ce: C. elegans Hr: horse GP: Guinea Pig Rab: rabbit All: all species expected						
Trademarks and Patents	All o	Cell Signaling Technology is a trademark of Cell Signaling Technology, Inc. All other trademarks are the property of their respective owners. Visit cellsignal.com/trademarks for more information.						
Limited Uses	follov cond	Except as otherwise expressly agreed in a writing signed by a legally authorized representative of CST, the following terms apply to Products provided by CST, its affiliates or its distributors. Any Customer's terms and conditions that are in addition to, or different from, those contained herein, unless separately accepted in writing by a legally authorized representative of CST, are rejected and are of no force or effect.						
	appr Cust that end-	oved, cleared, or lice omer shall not use ar conflicts with its label user and solely for re	nsed by the FDA ny Product for any ing statement. Pro search and devel	or other regulatory for diagnostic or therap oducts sold or licens opment uses. Any us	abeling statement and ha preign or domestic entity peutic purpose, or other ed by CST are provided se of Product for diagnos one or as a component)	r, for any purpose. wise in any manner for Customer as the stic, prophylactic or		

CDC73 (A264) Antibody (#3644) Datasheet Without Images Cell Signaling Technology

purpose, requires a separate license from CST. Customer shall (a) not sell, license, loan, donate or otherwise transfer or make available any Product to any third party, whether alone or in combination with other materials, or use the Products to manufacture any commercial products, (b) not copy, modify, reverse engineer, decompile, disassemble or otherwise attempt to discover the underlying structure or technology of the Products, or use the Products for the purpose of developing any products or services that would compete with CST products or services, (c) not alter or remove from the Products solely in accordance with CST Product Terms of Sale and any applicable documentation, and (e) comply with any license, terms of service or similar agreement with respect to any third party products or services used by Customer in connection with the Products.