

Store at -20C  
#8698

## Cleaved Caspase Substrate Motif [DE(T/S/A)D] MultiMab® Rabbit mAb mix



**Cell Signaling**  
TECHNOLOGY®

**Orders:** 877-616-CELL (2355)  
orders@cellsignal.com

**Support:** 877-678-TECH (8324)

**Web:** info@cellsignal.com  
cellsignal.com

3 Trask Lane | Danvers | Massachusetts | 01923 | USA

**For Research Use Only. Not for Use in Diagnostic Procedures.**

<b>Applications:</b> WB	<b>Reactivity:</b> All	<b>Sensitivity:</b> Endogenous	<b>Source/Isotype:</b> Rabbit IgG
----------------------------	---------------------------	-----------------------------------	--------------------------------------

<b>Product Usage Information</b>	<b>Application</b> Western Blotting	<b>Dilution</b> 1:1000
<b>Storage</b>	Supplied in 10 mM sodium HEPES (pH 7.5), 150 mM NaCl, 100 µg/ml BSA, 50% glycerol and less than 0.02% sodium azide. Store at -20°C. Do not aliquot the antibody.	
<b>Specificity / Sensitivity</b>	Cleaved Caspase Substrate Motif [DE(T/S/A)D] MultiMab® Rabbit mAb mix recognizes endogenous levels of caspase-cleaved proteins with a carboxy-terminal aspartic acid residue, and in rare cases a carboxy-terminal glutamic acid residue. This antibody does not cross-react with whole proteins or those ending with a different carboxy-terminal residue.	
<b>Source / Purification</b>	MultiMab® rabbit monoclonal mix antibodies are prepared by combining individual rabbit monoclonal clones in optimized ratios for the approved applications. Each antibody in the mix is carefully selected based on motif recognition and performance in multiple assays. Each mix is engineered to yield the broadest possible coverage of the modification being studied while ensuring a high degree of specificity for the modification or motif.	
<b>Background</b>	Apoptosis is a physiological process resulting in a highly regulated, programmed form of cell death that is a normal part of growth and development in multicellular organisms. Caspases are aspartic acid-directed cysteine proteases that are central to the apoptotic mechanism (1). The intrinsic pathway initiates an apoptotic cascade from signals originating within the cell, such as DNA damage, while an extrinsic pathway initiates apoptosis in response to extracellular signals, like FasL. In both intrinsic and extrinsic pathways, initiator caspases cleave downstream substrates, including multiple effector caspases and the primary executioner of cell death, caspase-3 (2,3). Effector caspases amplify the apoptotic cascade to target many critical proteins needed for normal cell function. Apart from its role in developmental biology, the regulation of apoptosis has broad implications for the study of cancer, autoimmune disorders and infectious diseases (4). Thousands of known and putative caspase cleavage sites are present within the human proteome; almost all sites involve cleavage at an aspartic acid residue, though cleavage at glutamic acid residues is seen, rarely, as well (5).	
<b>Background References</b>	<ol style="list-style-type: none"> <li>1. Cohen, G.M. (1997) <i>Biochem J</i> 326 ( Pt 1), 1-16.</li> <li>2. Kaufmann, T. et al. (2012) <i>Cell Death Differ</i> 19, 42-50.</li> <li>3. Alenzi, F.Q. et al. (2010) <i>Asian Pac J Cancer Prev</i> 11, 271-80.</li> <li>4. Favalaro, B. et al. (2012) <i>Aging (Albany NY)</i> 4, 330-49.</li> <li>5. Fischer, U. et al. (2003) <i>Cell Death Differ</i> 10, 76-100.</li> </ol>	

<b>Species Reactivity</b>	Species reactivity is determined by testing in at least one approved application (e.g., western blot).
<b>Western Blot Buffer</b>	IMPORTANT: For western blots, incubate membrane with diluted primary antibody in 5% w/v nonfat dry milk, 1X TBS, 0.1% Tween® 20 at 4°C with gentle shaking, overnight.
<b>Applications Key</b>	<b>WB:</b> Western Blotting
<b>Cross-Reactivity Key</b>	<b>H:</b> human <b>M:</b> mouse <b>R:</b> rat <b>Hm:</b> hamster <b>Mk:</b> monkey <b>Vir:</b> virus <b>Mi:</b> mink <b>C:</b> chicken <b>Dm:</b> D. melanogaster <b>X:</b> Xenopus <b>Z:</b> zebrafish <b>B:</b> bovine <b>Dg:</b> dog <b>Pg:</b> pig <b>Sc:</b> S. cerevisiae <b>Ce:</b> C. elegans <b>Hr:</b> horse <b>GP:</b> Guinea Pig <b>Rab:</b> rabbit <b>All:</b> all species expected
<b>Trademarks and Patents</b>	Cell Signaling Technology is a trademark of Cell Signaling Technology, Inc. MultiMab is a registered trademark of Cell Signaling Technology, Inc. XP is a registered trademark of Cell Signaling Technology, Inc.

All other trademarks are the property of their respective owners. Visit [cellsignal.com/trademarks](https://cellsignal.com/trademarks) for more information.

## Limited Uses

Except as otherwise expressly agreed in a writing signed by a legally authorized representative of CST, the following terms apply to Products provided by CST, its affiliates or its distributors. Any Customer's terms and conditions that are in addition to, or different from, those contained herein, unless separately accepted in writing by a legally authorized representative of CST, are rejected and are of no force or effect.

Products are labeled with For Research Use Only or a similar labeling statement and have not been approved, cleared, or licensed by the FDA or other regulatory foreign or domestic entity, for any purpose. Customer shall not use any Product for any diagnostic or therapeutic purpose, or otherwise in any manner that conflicts with its labeling statement. Products sold or licensed by CST are provided for Customer as the end-user and solely for research and development uses. Any use of Product for diagnostic, prophylactic or therapeutic purposes, or any purchase of Product for resale (alone or as a component) or other commercial purpose, requires a separate license from CST. Customer shall (a) not sell, license, loan, donate or otherwise transfer or make available any Product to any third party, whether alone or in combination with other materials, or use the Products to manufacture any commercial products, (b) not copy, modify, reverse engineer, decompile, disassemble or otherwise attempt to discover the underlying structure or technology of the Products, or use the Products for the purpose of developing any products or services that would compete with CST products or services, (c) not alter or remove from the Products any trademarks, trade names, logos, patent or copyright notices or markings, (d) use the Products solely in accordance with CST Product Terms of Sale and any applicable documentation, and (e) comply with any license, terms of service or similar agreement with respect to any third party products or services used by Customer in connection with the Products.