

#12897 Store at -20°C

ADAMTS1 (D5G4Z) Rabbit mAb**Cell Signaling**
TECHNOLOGY®**Orders:** 877-616-CELL (2355)
orders@cellsignal.com**Support:** 877-678-TECH (8324)**Web:** info@cellsignal.com
cellsignal.com

3 Trask Lane | Danvers | Massachusetts | 01923 | USA

For Research Use Only. Not for Use in Diagnostic Procedures.

Applications:	Reactivity:	Sensitivity:	MW (kDa):	Source/Isotype:	UniProt ID:	Entrez-Gene Id:
WB	H	Endogenous	110	Rabbit IgG	#Q9UHI8	9510

Product Usage Information**Application**

Western Blotting

Dilution

1:1000

Storage

Supplied in 10 mM sodium HEPES (pH 7.5), 150 mM NaCl, 100 µg/ml BSA, 50% glycerol and less than 0.02% sodium azide. Store at -20°C. Do not aliquot the antibody.

Specificity / Sensitivity

ADAMTS1 (D5G4Z) Rabbit mAb recognizes endogenous levels of total ADAMTS1 protein. This antibody does not cross-react with other ADAM or ADAMTS proteins.

Source / Purification

Monoclonal antibody is produced by immunizing animals with a synthetic peptide corresponding to residues surrounding Arg187 of human ADAMTS1 protein.

Background

A Disintegrin and Metalloprotease with Thrombospondin Motifs (ADAMTS) proteins comprise a large family of secreted zinc metalloproteases that play important roles in various processes, including organogenesis, hemostasis, and angiogenesis (1,2). ADAMTS proteases show structural similarity to ADAM proteases, but are further defined by the presence of repeated carboxy-terminal motifs homologous to the anti-angiogenic type 1 repeats of thrombospondin-1 (3). Functions ascribed to ADAMTS proteases include regulating the extracellular bioavailability of cytokines and growth factors (4, 5), regulating cell adhesion to the extracellular matrix (ECM), and remodeling of the ECM (6).

ADAMTS1 has been shown to possess potent anti-angiogenic activity *in vitro* (2) and is reportedly dysregulated in a number of cancer subtypes (7). Functional *in vivo* studies in an ADAMTS1 knockout mouse model suggested that ADAMTS1 promotes metastatic invasion of breast carcinoma cells (8). These studies showed a reduced tumor burden in ADAMTS1 knockout mice, which was linked to increased cytotoxic immune cell invasion and reduced tumor cell survival (8).

Background References

1. Tang, B.L. and Hong, W. (1999) *FEBS Lett* 445, 223-5.
2. Apte, S.S. (2009) *J Biol Chem* 284, 31493-7.
3. Vázquez, F. et al. (1999) *J Biol Chem* 274, 23349-57.
4. Luque, A. et al. (2003) *J Biol Chem* 278, 23656-65.
5. Lu, X. et al. (2009) *Genes Dev* 23, 1882-94.
6. Kuno, K. et al. (1999) *J Biol Chem* 274, 18821-6.
7. Mochizuki, S. and Okada, Y. (2007) *Cancer Sci* 98, 621-8.
8. Ricciardelli, C. et al. (2011) *Am J Pathol* 179, 3075-85.

Species Reactivity

Species reactivity is determined by testing in at least one approved application (e.g., western blot).

Western Blot Buffer

IMPORTANT: For western blots, incubate membrane with diluted primary antibody in 5% w/v nonfat dry milk, 1X TBS, 0.1% Tween® 20 at 4°C with gentle shaking, overnight.

Applications Key**WB:** Western Blotting**Cross-Reactivity Key**

H: human **M:** mouse **R:** rat **Hm:** hamster **Mk:** monkey **Vir:** virus **Mi:** mink **C:** chicken **Dm:** D. melanogaster
X: Xenopus **Z:** zebrafish **B:** bovine **Dg:** dog **Pg:** pig **Sc:** S. cerevisiae **Ce:** C. elegans **Hr:** horse
GP: Guinea Pig **Rab:** rabbit **All:** all species expected

Trademarks and Patents

Cell Signaling Technology is a trademark of Cell Signaling Technology, Inc.

All other trademarks are the property of their respective owners. Visit cellsignal.com/trademarks for more information.

Limited Uses

Except as otherwise expressly agreed in a writing signed by a legally authorized representative of CST, the following terms apply to Products provided by CST, its affiliates or its distributors. Any Customer's terms and conditions that are in addition to, or different from, those contained herein, unless separately accepted in writing by a legally authorized representative of CST, are rejected and are of no force or effect.

Products are labeled with For Research Use Only or a similar labeling statement and have not been approved, cleared, or licensed by the FDA or other regulatory foreign or domestic entity, for any purpose. Customer shall not use any Product for any diagnostic or therapeutic purpose, or otherwise in any manner that conflicts with its labeling statement. Products sold or licensed by CST are provided for Customer as the end-user and solely for research and development uses. Any use of Product for diagnostic, prophylactic or therapeutic purposes, or any purchase of Product for resale (alone or as a component) or other commercial purpose, requires a separate license from CST. Customer shall (a) not sell, license, loan, donate or otherwise transfer or make available any Product to any third party, whether alone or in combination with other materials, or use the Products to manufacture any commercial products, (b) not copy, modify, reverse engineer, decompile, disassemble or otherwise attempt to discover the underlying structure or technology of the Products, or use the Products for the purpose of developing any products or services that would compete with CST products or services, (c) not alter or remove from the Products any trademarks, trade names, logos, patent or copyright notices or markings, (d) use the Products solely in accordance with CST Product Terms of Sale and any applicable documentation, and (e) comply with any license, terms of service or similar agreement with respect to any third party products or services used by Customer in connection with the Products.