## Store at -20C

## Chk1 (2G1D5) Mouse mAb



Orders: 877-616-CELL (2355)

orders@cellsignal.com

877-678-TECH (8324) Support:

Web: info@cellsignal.com

cellsignal.com

3 Trask Lane | Danvers | Massachusetts | 01923 | USA

<b>Applications:</b> WB, W-S, IHC-P	Reactivity: H M R Mk	Sensitivity: Endogenous	<b>MW (kDa):</b> 56	Source/Isotype: Mouse IgG1	UniProt ID: #O14757	Entrez-Gene Id 1111	
Product Usage Information	Ap	Application			Dilution		
	We	stern Blotting			1:1000		
	Sin	nple Western™			1:10 - 1:50		
	Imr	Immunohistochemistry (Paraffin)			1:50 - 1:200		
Storage		Supplied in 10 mM sodium HEPES (pH 7.5), 150 mM NaCl, 100 $\mu$ g/ml BSA, 50% glycerol and less than 0.02% sodium azide. Store at $-20^{\circ}$ C. Do not aliquot the antibody.					
Specificity / Sensitivity Chk1 (2G1D5) Mouse mAb reco			nAb recognizes e	ognizes endogenous levels of total Chk1 protein.			
Source / Purification Monoclonal antibody is produced by immunizing animals with purified recombinate				rified recombinant Ch	k1 protein.		
Background  Chk1 kinase acts downstream of ATM/ATR kinase and plays an important role in DNA damage control, embryonic development, and tumor suppression (1). Activation of Chk1 involves phose Ser317 and Ser345 by ATM/ATR, followed by autophosphorylation of Ser296. Activation occurresponse to blocked DNA replication and certain forms of genotoxic stress (2). While phosphorylation of Ser296 activation occurresponse to blocked DNA replication and certain forms of genotoxic stress (2).						es phosphorylation at on occurs in	

Ser345 serves to localize Chk1 to the nucleus following checkpoint activation (3), phosphorylation at Ser317 along with site-specific phosphorylation of PTEN allows for re-entry into the cell cycle following stalled DNA replication (4). Chk1 exerts its checkpoint mechanism on the cell cycle, in part, by regulating the cdc25 family of phosphatases. Chk1 phosphorylation of cdc25A targets it for proteolysis and inhibits its activity through 14-3-3 binding (5). Activated Chk1 can inactivate cdc25C via phosphorylation at Ser216, blocking the activation of cdc2 and transition into mitosis (6). Centrosomal Chk1 has been shown to phosphorylate cdc25B and inhibit its activation of CDK1-cyclin B1, thereby abrogating mitotic spindle formation and chromatin condensation (7). Furthermore, Chk1 plays a role in spindle checkpoint function through regulation of aurora B and BubR1 (8). Research studies have implicated Chk1 as a drug target for cancer therapy as its inhibition leads to cell death in many cancer cell lines (9).

## **Background References**

- 1. Liu, Q. et al. (2000) Genes Dev 14, 1448-59.
- 2. Zhao, H. and Piwnica-Worms, H. (2001) Mol Cell Biol 21, 4129-39.
- 3. Jiang, K. et al. (2003) J Biol Chem 278, 25207-17.
- 4. Martin, S.A. and Ouchi, T. (2008) Mol Cancer Ther 7, 2509-16.
- 5. Chen, M.S. et al. (2003) Mol Cell Biol 23, 7488-97.
- 6. Zeng, Y. et al. (1998) Nature 395, 507-10.
- 7. Löffler, H. et al. (2006) Cell Cycle 5, 2543-7.
- 8. Zachos, G. et al. (2007) Dev Cell 12, 247-60.
- 9. Garber, K. (2005) J Natl Cancer Inst 97, 1026-8.

Species reactivity is determined by testing in at least one approved application (e.g., western blot). **Species Reactivity** 

IMPORTANT: For western blots, incubate membrane with diluted primary antibody in 5% w/v nonfat dry Western Blot Buffer

milk, 1X TBS, 0.1% Tween® 20 at 4°C with gentle shaking, overnight.

**Applications Key** 

WB: Western Blotting W-S: Simple Western™ IHC-P: Immunohistochemistry (Paraffin)

**Cross-Reactivity Key** H: human M: mouse R: rat Hm: hamster Mk: monkey Vir: virus Mi: mink C: chicken Dm: D. melanogaster

X: Xenopus Z: zebrafish B: bovine Dg: dog Pg: pig Sc: S. cerevisiae Ce: C. elegans Hr: horse

GP: Guinea Pig Rab: rabbit All: all species expected

4/11/24, 10:36 AM

Trademarks and Patents

**Limited Uses** 

Chk1 (2G1D5) Mouse mAb (#2360) Datasheet Without Images Cell Signaling Technology Cell Signaling Technology is a trademark of Cell Signaling Technology, Inc.
All other trademarks are the property of their respective owners. Visit cellsignal.com/trademarks for more information.

Except as otherwise expressly agreed in a writing signed by a legally authorized representative of CST, the following terms apply to Products provided by CST, its affiliates or its distributors. Any Customer's terms and conditions that are in addition to, or different from, those contained herein, unless separately accepted in writing by a legally authorized representative of CST, are rejected and are of no force or effect.

Products are labeled with For Research Use Only or a similar labeling statement and have not been approved, cleared, or licensed by the FDA or other regulatory foreign or domestic entity, for any purpose. Customer shall not use any Product for any diagnostic or therapeutic purpose, or otherwise in any manner that conflicts with its labeling statement. Products sold or licensed by CST are provided for Customer as the end-user and solely for research and development uses. Any use of Product for diagnostic, prophylactic or therapeutic purposes, or any purchase of Product for resale (alone or as a component) or other commercial purpose, requires a separate license from CST. Customer shall (a) not sell, license, loan, donate or otherwise transfer or make available any Product to any third party, whether alone or in combination with other materials, or use the Products to manufacture any commercial products, (b) not copy, modify, reverse engineer, decompile, disassemble or otherwise attempt to discover the underlying structure or technology of the Products, or use the Products for the purpose of developing any products or services that would compete with CST products or services, (c) not alter or remove from the Products any trademarks, trade names, logos, patent or copyright notices or markings, (d) use the Products solely in accordance with CST Product Terms of Sale and any applicable documentation, and (e) comply with any license, terms of service or similar agreement with respect to any third party products or services used by Customer in connection with the Products.