

#66724 Store at -20°C

SV2A (D1L8S) Rabbit mAb

Cell Signaling
TECHNOLOGY®Orders: 877-616-CELL (2355)
orders@cellsignal.com

Support: 877-678-TECH (8324)

Web: info@cellsignal.com
cellsignal.com

3 Trask Lane | Danvers | Massachusetts | 01923 | USA

For Research Use Only. Not for Use in Diagnostic Procedures.

Applications:	Reactivity:	Sensitivity:	MW (kDa):	Source/Isotype:	UniProt ID:	Entrez-Gene Id:
WB, IP, IF-F	H M R	Endogenous	80-100	Rabbit IgG	#Q7L0J3	9900

Product Usage
Information

Application

Western Blotting
Immunoprecipitation
Immunofluorescence (Frozen)

Dilution

1:1000
1:50
1:400

Storage

Supplied in 10 mM sodium HEPES (pH 7.5), 150 mM NaCl, 100 µg/ml BSA, 50% glycerol and less than 0.02% sodium azide. Store at -20°C. Do not aliquot the antibody.

For a carrier free (BSA and azide free) version of this product see product #28944.

Specificity / Sensitivity

SV2A (D1L8S) Rabbit mAb recognizes endogenous levels of total SV2A protein.

Source / Purification

Monoclonal antibody is produced by immunizing animals with a synthetic peptide corresponding to residues surrounding Phe516 of human SV2A protein.

Background

SV2s are a family of synaptic vesicle proteins expressed in both neurons and endocrine cells. SV2s function in the regulation of synaptic vesicle traffic, cytoplasmic Ca²⁺ levels in the nerve terminal during repetitive stimulation and the facilitation of synaptic transmission. There are three isoforms of SV2: SV2A, SV2B and SV2C. Each of these isoforms are structured similarly but expressed varying. SV2C, a minor isoform of SV2, expressed in a small subset of neurons located within the basal forebrain, midbrain and brainstem. SV2B, a major isoform of SV2 is expressed more abundantly, although rarely without the coexpression of SV2A. SV2A, the other major isoform of SV2 is the most widely expressed. SV2A is located in the presynaptic nerve terminals of almost every neuron throughout the nervous system. In addition, it is also located in most neuroendocrine secretory granules (1). SV2A has been identified as a critical protein for proper function of the central nervous system and has been linked to the pathophysiology of epilepsy (2). In addition to the epileptic affects of this protein, mutations in it have also been seen to result in schizophrenia (3).

Background References

1. Janz, R. et al. (1999) *Neuron* 24, 1003-16.
2. van Vliet, E.A. et al. (2009) *Epilepsia* 50, 422-33.
3. Mattheisen, M. et al. (2012) *Schizophr Res* 141, 262-5.

Species Reactivity

Species reactivity is determined by testing in at least one approved application (e.g., western blot).

Western Blot Buffer

IMPORTANT: For western blots, incubate membrane with diluted primary antibody in 5% w/v BSA, 1X TBS, 0.1% Tween® 20 at 4°C with gentle shaking, overnight.

Applications Key

WB: Western Blotting **IP:** Immunoprecipitation **IF-F:** Immunofluorescence (Frozen)

Cross-Reactivity Key

H: human **M:** mouse **R:** rat **Hm:** hamster **Mk:** monkey **Vir:** virus **Mi:** mink **C:** chicken **Dm:** D. melanogaster
X: Xenopus **Z:** zebrafish **B:** bovine **Dg:** dog **Pg:** pig **Sc:** S. cerevisiae **Ce:** C. elegans **Hr:** horse
GP: Guinea Pig **Rab:** rabbit **All:** all species expected

Trademarks and
Patents

Cell Signaling Technology is a trademark of Cell Signaling Technology, Inc.
All other trademarks are the property of their respective owners. Visit cellsignal.com/trademarks for more information.

Limited Uses

Except as otherwise expressly agreed in a writing signed by a legally authorized representative of CST, the following terms apply to Products provided by CST, its affiliates or its distributors. Any Customer's terms and conditions that are in addition to, or different from, those contained herein, unless separately accepted in

Products are labeled with For Research Use Only or a similar labeling statement and have not been approved, cleared, or licensed by the FDA or other regulatory foreign or domestic entity, for any purpose. Customer shall not use any Product for any diagnostic or therapeutic purpose, or otherwise in any manner that conflicts with its labeling statement. Products sold or licensed by CST are provided for Customer as the end-user and solely for research and development uses. Any use of Product for diagnostic, prophylactic or therapeutic purposes, or any purchase of Product for resale (alone or as a component) or other commercial purpose, requires a separate license from CST. Customer shall (a) not sell, license, loan, donate or otherwise transfer or make available any Product to any third party, whether alone or in combination with other materials, or use the Products to manufacture any commercial products, (b) not copy, modify, reverse engineer, decompile, disassemble or otherwise attempt to discover the underlying structure or technology of the Products, or use the Products for the purpose of developing any products or services that would compete with CST products or services, (c) not alter or remove from the Products any trademarks, trade names, logos, patent or copyright notices or markings, (d) use the Products solely in accordance with CST Product Terms of Sale and any applicable documentation, and (e) comply with any license, terms of service or similar agreement with respect to any third party products or services used by Customer in connection with the Products.