046 Store at -20C

PSD93 (D4Z4D) Rabbit mAb



Orders: 877-616-CELL (2355)

orders@cellsignal.com

877-678-TECH (8324) Support:

Web: info@cellsignal.com cellsignal.com

3 Trask Lane | Danvers | Massachusetts | 01923 | USA

For Research Use Only. Not for Use in Diagnostic Procedures.

Applications: WB, IP	Reactivity: H M R	Sensitivity: Endogenous	MW (kDa): 110	Source/Isotype: Rabbit IgG	UniProt ID: #Q15700	Entrez-Gene Id: 1740	
Product Usage Information	Ap	plication		Dilution			
	We	estern Blotting		1:1000			
	Im	munoprecipitation			1:50		
Storage	•	Supplied in 10 mM sodium HEPES (pH 7.5), 150 mM NaCl, 100 μ g/ml BSA, 50% glycerol and less than 0.02% sodium azide. Store at –20°C. Do not aliquot the antibody.					
Specificity / Sensi	tivity PSI	PSD93 (D4Z4D) Rabbit mAb recognizes endogenous levels of total PSD93 protein.					
Source / Purification Monoclonal antibody is produced by immunizing animals wit residues surrounding Pro321 of human PSD93 protein.					a synthetic peptide corresponding to		
Background	gua N-te kina inte the hav	Postsynaptic Density Protein 93 (PSD93) is a member of the PSD subfamily of the membrane-associated guanylate kinase (PSD-MAGUK) proteins. Structurally, it most closely resembles PSD95, consisting of an N-terminal variable segment followed by three PDZ domains, an SH3 domain, and an inactive guanylate kinase (GK) domain (1,2). PSD93 is expressed in neuronal cells and located at the synapse where it interacts with neuronal receptors and proteins including the NMDA receptor (2-4), K+ channels (5,6), and the AMPA receptor (7) to regulate their membrane localization and neuronal signaling. Research studies have implicated PSD93 in postsynaptic related persistent pain induction, making PSD93 a potential target for treatment of this syndrome (3).					
Background Refei	2. K 3. T 4. N 5. K 6. L	Brenman, J.E. et al. (1996) <i>J Neurosci</i> 16, 7407-15. Kim, E. et al. (1996) <i>Neuron</i> 17, 103-13. Tao, Y.X. et al. (2003) <i>J Neurosci</i> 23, 6703-12. Niethammer, M. et al. (1996) <i>J Neurosci</i> 16, 2157-63. Kim, E. et al. (1995) <i>Nature</i> 378, 85-8. Leyland, M.L. and Dart, C. (2004) <i>J Biol Chem</i> 279, 43427-36. Elias, G.M. et al. (2006) <i>Neuron</i> 52, 307-20.					

Species Reactivity Species reactivity is determined by testing in at least one approved application (e.g., western blot).

Western Blot Buffer IMPORTANT: For western blots, incubate membrane with diluted primary antibody in 5% w/v BSA, 1X TBS,

0.1% Tween® 20 at 4°C with gentle shaking, overnight.

Applications Key WB: Western Blotting IP: Immunoprecipitation

Cross-Reactivity Key H: human M: mouse R: rat Hm: hamster Mk: monkey Vir: virus Mi: mink C: chicken Dm: D. melanogaster

X: Xenopus Z: zebrafish B: bovine Dg: dog Pg: pig Sc: S. cerevisiae Ce: C. elegans Hr: horse

GP: Guinea Pig Rab: rabbit All: all species expected

Cell Signaling Technology is a trademark of Cell Signaling Technology, Inc. Trademarks and **Patents**

XP is a registered trademark of Cell Signaling Technology, Inc.

All other trademarks are the property of their respective owners. Visit cellsignal.com/trademarks for more

information.

Except as otherwise expressly agreed in a writing signed by a legally authorized representative of CST, the **Limited Uses**

following terms apply to Products provided by CST, its affiliates or its distributors. Any Customer's terms and conditions that are in addition to, or different from, those contained herein, unless separately accepted in

writing by a legally authorized representative of CST, are rejected and are of no force or effect.

PSD93 (D4Z4D) Rabbit mAb (#19046) Datasheet Without Images Cell Signaling Technology

Products are labeled with For Research Use Only or a similar labeling statement and have not been approved, cleared, or licensed by the FDA or other regulatory foreign or domestic entity, for any purpose. Customer shall not use any Product for any diagnostic or therapeutic purpose, or otherwise in any manner that conflicts with its labeling statement. Products sold or licensed by CST are provided for Customer as the end-user and solely for research and development uses. Any use of Product for diagnostic, prophylactic or therapeutic purposes, or any purchase of Product for resale (alone or as a component) or other commercial purpose, requires a separate license from CST. Customer shall (a) not sell, license, loan, donate or otherwise transfer or make available any Product to any third party, whether alone or in combination with other materials, or use the Products to manufacture any commercial products, (b) not copy, modify, reverse engineer, decompile, disassemble or otherwise attempt to discover the underlying structure or technology of the Products, or use the Products for the purpose of developing any products or services that would compete with CST products or services, (c) not alter or remove from the Products any trademarks, trade names, logos, patent or copyright notices or markings, (d) use the Products solely in accordance with CST Product Terms of Sale and any applicable documentation, and (e) comply with any license, terms of service or similar agreement with respect to any third party products or services used by Customer in connection with the Products.