Jagged1 (D4Y1R) XP® Rabbit mAb (PE Conjugate)
 Image: Cell Signaling Fe C H N O L O G Y*

 Orders:
 877-616-CELL (2355) orders@cellsignal.com

 Support:
 877-678-TECH (8324)

 Web:
 info@cellsignal.com cellsignal.com

3 Trask Lane | Danvers | Massachusetts | 01923 | USA

For Research Use Only. Not for Use in Diagnostic Procedures.

Applications: Reactive FC-FP H M M		UniProt ID:Entrez-Gene Id:#P78504182
Product Usage Information	Application Flow Cytometry (Fixed/Permeabilized)	Dilution 1:50
Storage	Supplied in PBS (pH 7.2), less than 0.1% sodium azide and 2 antibody. Protect from light. Do not freeze.	mg/ml BSA. Store at 4°C. Do not aliquot the
Specificity / Sensitivity	Jagged1 (D4Y1R) Rabbit mAb (PE Conjugate) recognizes enc This antibody does not cross-react with Jagged2 protein.	logenous levels of total Jagged1 protein.
Species predicted to react based on 100% sequence homology:	Rat, Hamster	
Source / Purification	Monoclonal antibody is produced by immunizing animals with a residues surrounding Ala1131 of human Jagged1 protein.	a synthetic peptide corresponding to
Product Description	This Cell Signaling Technology antibody is conjugated to phyco flow cytometry analysis in human cells. This antibody is expect reactivity as the unconjugated Jagged1 (D4Y1R) Rabbit mAb #	ted to exhibit the same species cross-
Background	Notch signaling is activated upon engagement of the Notch receptor with its ligands, the DSL (Delta, Serrate, Lag2) proteins of single-pass type I membrane proteins. The DSL proteins contain multiple EGF-like repeats and a DSL domain that is required for binding to Notch (1,2). Five DSL proteins have been identified in mammals: Jagged1, Jagged2, Delta-like (DLL) 1, 3 and 4 (3). Ligand binding to the Notch receptor results in two sequential proteolytic cleavages of the receptor by the ADAM protease and the y-secretase complex. The intracellular domain of Notch is released and then translocates to the nucleus where it activates transcription. Notch ligands may also be processed in a way similar to Notch, suggesting a bi-directional signaling through receptor-ligand interactions (4-6).	
Background References	 Wilson, A. and Radtke, F. (2006) FEBS Lett. 580, 2860-2868 Hansson, E.M. et al. (2004) Semin. Cancer Biol. 14, 320-324 Chiba, S. (2006) Stem Cells 24, 2437-2447. Bland, C.E. et al. (2003) J. Biol. Chem. 278, 13607-13610. Six, E. et al. (2003) Proc. Natl. Acad. Sci. USA 100, 7638-76 LaVoie, M.J. and Selkoe, D.J. (2003) J. Biol. Chem. 278, 34 	8. 543.
Species Reactivity	Species reactivity is determined by testing in at least one appro	ved application (e.g., western blot).
Applications Key	FC-FP: Flow Cytometry (Fixed/Permeabilized)	
Cross-Reactivity Key	H: human M: mouse R: rat Hm: hamster Mk: monkey Vir: virus X: Xenopus Z: zebrafish B: bovine Dg: dog Pg: pig Sc: S. cere GP: Guinea Pig Rab: rabbit All: all species expected	5
Trademarks and Patents	Cell Signaling Technology is a trademark of Cell Signaling Tech XP is a registered trademark of Cell Signaling Technology, Inc. All other trademarks are the property of their respective owners information.	

Limited Uses

Jagged1 (D4Y1R) XP® Rabbit mAb (PE Conjugate) (#94449) Datasheet Without Images Cell Signaling Tech...

Except as otherwise expressly agreed in a writing signed by a legally authorized representative of CST, the following terms apply to Products provided by CST, its affiliates or its distributors. Any Customer's terms and conditions that are in addition to, or different from, those contained herein, unless separately accepted in writing by a legally authorized representative of CST, are rejected and are of no force or effect.

Products are labeled with For Research Use Only or a similar labeling statement and have not been approved, cleared, or licensed by the FDA or other regulatory foreign or domestic entity, for any purpose. Customer shall not use any Product for any diagnostic or therapeutic purpose, or otherwise in any manner that conflicts with its labeling statement. Products sold or licensed by CST are provided for Customer as the end-user and solely for research and development uses. Any use of Product for diagnostic, prophylactic or therapeutic purposes, or any purchase of Product for resale (alone or as a component) or other commercial purpose, requires a separate license from CST. Customer shall (a) not sell, license, loan, donate or otherwise transfer or make available any Product to any third party, whether alone or in combination with other materials, or use the Products to manufacture any commercial products, (b) not copy, modify, reverse engineer, decompile, disassemble or otherwise attempt to discover the underlying structure or technology of the Products, or use the Products for the purpose of developing any products or services that would compete with CST products or services, (c) not alter or remove from the Products any trademarks, trade names, logos, patent or copyright notices or markings, (d) use the Products solely in accordance with CST Product Terms of Sale and any applicable documentation, and (e) comply with any license, terms of service or similar agreement with respect to any third party products or services used by Customer in connection with the Products.