#55935 Store at -20C

SH3BP4 (D3D9I) Rabbit mAb



Orders:

877-616-CELL (2355) orders@cellsignal.com

Support:

877-678-TECH (8324)

Web:

info@cellsignal.com

cellsignal.com

3 Trask Lane | Danvers | Massachusetts | 01923 | USA

For Research Use Only. Not for Use in Diagnostic Procedures.

Applications: WB, IP	Reactivity: H Mk	Sensitivity: Endogenous	MW (kDa): 110	Source/Isotype: Rabbit IgG	UniProt ID: #Q9P0V3	Entrez-Gene Id: 23677	
Product Usage Information	Ар	plication		Dilution			
	We	estern Blotting		1:1000			
	Imr	munoprecipitation			1:50		
Storage		Supplied in 10 mM sodium HEPES (pH 7.5), 150 mM NaCl, 100 μ g/ml BSA, 50% glycerol and less than 0.02% sodium azide. Store at –20°C. Do not aliquot the antibody.					
Specificity / Sensitivity		SH3BP4 (D3D9I) Rabbit mAb recognizes endogenous levels of total SH3BP4 protein.					
Source / Purificati		Monoclonal antibody is produced by immunizing animals with a synthetic peptide corresponding to residues surrounding Val222 of human SH3BP4 protein.					
Background	envi Rag bind the	The mTORC1 kinase complex is a critical regulator of cell growth (1,2). Its activity is modulated by environmental factors such as energy levels, growth factors, and amino acids (3, 4). The GTPases RagA, RagB, RagC, and RagD mediate amino acid signaling to activate mTORC1 (1, 2). SH3BP4 (SH3 domain-binding protein 4) binds to the inactive Rag GTPase complex during amino acid starvation and prevents the association of Rag GTPase complex with mTORC1 resulting in the suppression of mTORC1 activation and cell growth (5).					
Background Refe	2. K 3. H 4. W	im, E. et al. (2008) / ay, N. and Sonenbe /ullschleger, S. et al	ak, Y. et al. (2008) <i>Science</i> 320, 1496-501. E. et al. (2008) <i>Nat Cell Biol</i> 10, 935-45. N. and Sonenberg, N. (2004) <i>Genes Dev</i> 18, 1926-45. chleger, S. et al. (2006) <i>Cell</i> 124, 471-84. Y.M. et al. (2012) <i>Mol Cell</i> 46, 833-46.				

Species Reactivity

Species reactivity is determined by testing in at least one approved application (e.g., western blot).

Western Blot Buffer

IMPORTANT: For western blots, incubate membrane with diluted primary antibody in 5% w/v nonfat dry milk, 1X TBS, 0.1% Tween® 20 at 4°C with gentle shaking, overnight.

Applications Key

WB: Western Blotting IP: Immunoprecipitation

Cross-Reactivity Key

H: human M: mouse R: rat Hm: hamster Mk: monkey Vir: virus Mi: mink C: chicken Dm: D. melanogaster

X: Xenopus Z: zebrafish B: bovine Dg: dog Pg: pig Sc: S. cerevisiae Ce: C. elegans Hr: horse

GP: Guinea Pig Rab: rabbit All: all species expected

Trademarks and Patents

Cell Signaling Technology is a trademark of Cell Signaling Technology, Inc.

XP is a registered trademark of Cell Signaling Technology, Inc.

All other trademarks are the property of their respective owners. Visit cellsignal.com/trademarks for more

information.

Limited Uses

Except as otherwise expressly agreed in a writing signed by a legally authorized representative of CST, the following terms apply to Products provided by CST, its affiliates or its distributors. Any Customer's terms and conditions that are in addition to, or different from, those contained herein, unless separately accepted in writing by a legally authorized representative of CST, are rejected and are of no force or effect.

Products are labeled with For Research Use Only or a similar labeling statement and have not been approved, cleared, or licensed by the FDA or other regulatory foreign or domestic entity, for any purpose. Customer shall not use any Product for any diagnostic or therapeutic purpose, or otherwise in any manner that conflicts with its labeling statement. Products sold or licensed by CST are provided for Customer as the end-user and solely for research and development uses. Any use of Product for diagnostic, prophylactic or

SH3BP4 (D3D9I) Rabbit mAb (#55935) Datasheet Without Images Cell Signaling Technology

therapeutic purposes, or any purchase of Product for resale (alone or as a component) or other commercial purpose, requires a separate license from CST. Customer shall (a) not sell, license, loan, donate or otherwise transfer or make available any Product to any third party, whether alone or in combination with other materials, or use the Products to manufacture any commercial products, (b) not copy, modify, reverse engineer, decompile, disassemble or otherwise attempt to discover the underlying structure or technology of the Products, or use the Products for the purpose of developing any products or services that would compete with CST products or services, (c) not alter or remove from the Products any trademarks, trade names, logos, patent or copyright notices or markings, (d) use the Products solely in accordance with CST Product Terms of Sale and any applicable documentation, and (e) comply with any license, terms of service or similar agreement with respect to any third party products or services used by Customer in connection with the Products.