#12099 Store at +4C

Bcl-xL (54H6) Rabbit mAb (APC Conjugate)



Orders:

877-616-CELL (2355) orders@cellsignal.com

Support:

877-678-TECH (8324)

Web:

info@cellsignal.com cellsignal.com

3 Trask Lane | Danvers | Massachusetts | 01923 | USA

For Research Use Only. Not for Use in Diagnostic Procedures.

Applications: Reactivity: Sensitivity: Source/Isotype: **UniProt ID:** Entrez-Gene Id: FC-FP HMRMk Endogenous Rabbit IgG #Q07817 598 **Product Usage Application** Dilution Information Flow Cytometry (Fixed/Permeabilized) 1:50 Supplied in PBS (pH 7.2), less than 0.1% sodium azide, and 2 mg/mL BSA. Store at 4°C. Do not aliquot **Storage** the antibodies. Protect from light. Do not freeze. Specificity / Sensitivity Bcl-xL (54H6) Rabbit mAb (APC Conjugate) detects endogenous levels of total Bcl-xL protein. The antibody does not cross-react with other Bcl-2 family members. Monoclonal antibody is produced by immunizing animals with a synthetic peptide corresponding to Source / Purification residues surrounding Asp61 of human Bcl-xL. This Cell Signaling Technology antibody is conjugated to allophycocyanin (APC) and tested in-house for **Product Description** direct flow cytometric analysis in human cells. The antibody is expected to exhibit the same species crossreactivity as the unconjugated Bcl-xL (54H6) Rabbit mAb #2764. Bcl-xL prevents apoptosis through two different mechanisms: heterodimerization with an apoptotic protein **Background** inhibits its apoptotic effect (1,2) and formation of mitochondrial outer membrane pores help maintain a normal membrane state under stressful conditions (3). Bcl-xL is phosphorylated by JNK following treatment with microtubule-damaging agents, such as paclitaxel, vinblastine, and nocodazole (4,5). 1. Adams, J.M. and Cory, S. (1998) Science 281, 1322-6. **Background References** 2. Minn. A.J. et al. (1999) EMBO J 18. 632-43. 3. Vander Heiden, M.G. et al. (2001) J Biol Chem 276, 19414-9. 4. Fan, M. et al. (2000) J Biol Chem 275, 29980-5.

Species Reactivity

Species reactivity is determined by testing in at least one approved application (e.g., western blot).

Applications Key

FC-FP: Flow Cytometry (Fixed/Permeabilized)

5. Poruchynsky, M.S. et al. (1998) Cancer Res 58, 3331-8.

Cross-Reactivity Key

H: human M: mouse R: rat Hm: hamster Mk: monkey Vir: virus Mi: mink C: chicken Dm: D. melanogaster X: Xenopus Z: zebrafish B: bovine Dg: dog Pg: pig Sc: S. cerevisiae Ce: C. elegans Hr: horse

GP: Guinea Pig Rab: rabbit All: all species expected

Trademarks and Patents

Cell Signaling Technology is a trademark of Cell Signaling Technology, Inc.

All other trademarks are the property of their respective owners. Visit cellsignal.com/trademarks for more information.

Limited Uses

Except as otherwise expressly agreed in a writing signed by a legally authorized representative of CST, the following terms apply to Products provided by CST, its affiliates or its distributors. Any Customer's terms and conditions that are in addition to, or different from, those contained herein, unless separately accepted in writing by a legally authorized representative of CST, are rejected and are of no force or effect.

Products are labeled with For Research Use Only or a similar labeling statement and have not been approved, cleared, or licensed by the FDA or other regulatory foreign or domestic entity, for any purpose. Customer shall not use any Product for any diagnostic or therapeutic purpose, or otherwise in any manner that conflicts with its labeling statement. Products sold or licensed by CST are provided for Customer as the end-user and solely for research and development uses. Any use of Product for diagnostic, prophylactic or therapeutic purposes, or any purchase of Product for resale (alone or as a component) or other commercial purpose, requires a separate license from CST. Customer shall (a) not sell, license, loan, donate or

Bcl-xL (54H6) Rabbit mAb (APC Conjugate) (#12099) Datasheet Without Images Cell Signaling Technology

otherwise transfer or make available any Product to any third party, whether alone or in combination with other materials, or use the Products to manufacture any commercial products, (b) not copy, modify, reverse engineer, decompile, disassemble or otherwise attempt to discover the underlying structure or technology of the Products, or use the Products for the purpose of developing any products or services that would compete with CST products or services, (c) not alter or remove from the Products any trademarks, trade names, logos, patent or copyright notices or markings, (d) use the Products solely in accordance with CST Product Terms of Sale and any applicable documentation, and (e) comply with any license, terms of service or similar agreement with respect to any third party products or services used by Customer in connection with the Products.